

References

- Abe, K. (1975). Reliable estimation of the seismic moment of large earthquakes. *J. Phys. Earth*, **23**, 381-390.
- Abe, K. (1981). Magnitudes of large shallow earthquakes from 1904 to 1980. *Phys. Earth Planet. Interiors*, **27**, 72-92.
- Abe, K. (1989). Quantification of tsunamigenic earthquakes by the M_t scale. *Tectonophysics*, **166**, 27-34.
- Abe, K., and Kanamori, H. (1980). Magnitudes of great shallow earthquakes from 1953 to 1977. *Tectonophysics*, **62**, 191-203.
- Abercrombie, R. E. (1994). Regional bias in estimates of earthquake M_s due to surface-wave path effects. *Bull. Seism. Soc. Am.*, **84**, 2, 377-382.
- Ad Hoc Group of Scientific Experts to Consider International Cooperative Measures to Detect and Identify Seismic Events, 1991. Sourcebook for International Seismic Data Exchange. Conference Room Paper/167/Rev.2, Geneva, April 1991.
- Ad-hoc Panel (1981). Report on the Ad-hoc Panel meeting of experts on up-dating of the MSK-64 intensity scale, 10-14 March 1980, *Gerl. Beitr. Geophys.*, **90**, 261-268.
- Agnew, D. C. (1981). Nonlinearity in rock: evidence from Earth tides. *J. Geophys. Res.*, **86**, B5, 3969 - 3978.
- Agnew, D. C. (1986). Strainmeters and tiltmeters. *Rev. Geophys.*, **24**, 579 - 624.
- Agnew, D. C., Wyatt, F. K. (1989). The 1987 superstition hills earthquake sequence: strains and tilts at Pinion Flat Observatory. *Bull. Seism. Soc. Am.*, **79**, 2, 480 - 492.
- Aki, K. (1967). Scaling law of seismic spectrum. *J. Geophys. Res.*, **72**, 1217-1231.
- Aki, K., and Chouet, B. (1975). Origin of coda waves: Source, attenuation and scattering effects. *J. Geophys. Res.*, **80**, 3322.
- Aki, K., Christofferson, A., and Husebye, E. S. (1977). Determination of the three dimensional seismic structure of the lithosphere. *J. Geophys. Res.*, **82**, 277-296.
- Aki, K., and Richards, P. G. (1980). *Quantitative seismology*. Freeman, San Francisco, Vol. I and II, 932 pp.
- Aki, K., and Koyanagi, R. Y. (1981). Deep volcanic tremor and magma ascent mechanism under Kilauea, Hawaii. *J. Geophys. Res.*, **86**, 7095-7109.
- Aki, K., and Richards, P. G. (2002). *Quantitative seismology*. Second Edition, ISBN 0-935702-96-2, University Science Books, xvii + 700 pp.
- Albarello, D., Berardi, A., Margottini, C., and Mucciarelli, M. (1995). Macroseismic estimates of magnitude in Italy. *Pure Appl. Geophys.*, **145**, 2, 297-312.
- Allen, R. V. (1978). Automatic earthquake recognition and timing from single traces. *Bull. Seism. Soc. Am.*, **68**, 1521-1532.
- Allen, R. V. (1982). Automatic phase pickers: Their present and future prospects. *Bull. Seism. Soc. Am.*, **72**, 225-242.
- Almendros, J., Ibàñez, J. M., Alguacil, G., Del Pezzo, E., and Ortiz, R. (1997). Array tracking of the volcanic tremor source at Deception Island, Antarctica. *Geophys. Res. Lett.*, **24**, 3069-3072.
- Almendros, J., Ibàñez, J. M., Alguacil, G., and Del Pezzo, E. (1999). Array analysis using circular-wave-front geometry: an application to locate the nearby seismo-volcanic source. *Geophys. J. Int.*, **136**, 159-170.
- Alsaker, A., Kvamme, L. B., Hansen, R. A., Dahle, A., and Bungum, H. (1991). The M_L scale in Norway. *Bull. Seism. Soc. Am.*, **81**, 2, 379-389.
- Ambraseys, N. N. (1975). The correlation of intensity with ground motion. Proc. XIV General Ass. ESC 1974 in Trieste, Published by Nationalkomitee für Geodäsie und Geophysik, Akademie der Wissenschaften der DDR, Berlin, 335-341.

References

- Ambraseys, N. N. (1985). Magnitude assessment of northwestern European earthquakes. *Earthquake Engineering and Structural Dynamics*, **13**, 307-320.
- Ambraseys, N. N. (1988). Magnitude-fault length relationships for earthquakes in the middle east. In: *Historical seismograms and earthquakes of the world*. Academic Press, 309-310.
- Ambraseys, N. N. (1990). Uniform magnitude re-evaluation of European earthquakes associated with strong-motion records. *Earthquake Engineering and Structural Dynamics*, **19**, 1-20.
- Ambraseys, N. N., and Adams, R. D. (1986). Seismicity of West Africa. *Annales Geophysicae*, **86**, 6, 679-702.
- Ambraseys, N. N., and Bommer, J. J. (1990). Uniform magnitude re-evaluation for the strong motion database of Europe and adjacent areas. *European Earthquake Engineering*, **2**, 3-16.
- Ambraseys; N. N., Simpson, K. A., and Bommer, J. J. (1996). Prediction of horizontal response spectra in Europe. *Earthquake Engineering and Structural Dynamics*, **25**, 371-400.
- Anderson, E. M. (1951). *The dynamics of faulting and dyke formation with applications to Britain*. 2nd ed. rev., Oliver & Boyd Publishers, Edinburgh.
- Anderson, K. R. (1982). Robust earthquake location using M-estimates, *Phys. Earth. Plan. Inter.*, **30**, 119-130.
- Anderson, D. L., and Given, J. W. (1982). Absorption band Q model for the Earth. *J. Geophys. Res.*, **87**, 3893-3904.
- Angenheister, G. H. (1921). Beobachtungen an pazifischen Beben. *Nachrichten von der Königlichen Gesellschaft der Wissenschaften zu Göttingen, Mathematisch-physikalische Klasse*, 113-146.
- Aoyama, H., and Takeo, M. (2001). Wave properties and focal mechanisms of N-type earthquakes at Asama volcano, *J. Volcanol. Geotherm. Res.*, **105**, 163-182.
- Archangelskaya, V. M. (1959). The dispersion of surface waves in the earth's crust. *Izv. Akad. Nauk SSSR, Seriya Geofiz.*, **9** (in Russian).
- Aster, R. C., and Shearer, P. (1991). High-frequency borehole seismograms recorded in the San Jacinto fault zone, Southern California. Part 1. Polarizations, *Bull. Seism. Soc. Am.*, **81**, 1057-1080.
- Astiz, L., Earle, P., and Shearer, P. (1996). Global stacking of broadband seismograms. *Seism. Res. Lett.*, **67**, 8-18.
- Atkinson, G. M., and Hanks, Th. (1995). A high-frequency magnitude scale. *Bull. Seism. Soc. Am.*, **85**, 3, 825-833.
- Bahavar, M., and North, R. (2002). Estimation of background noise for International Monitoring System seismic stations, *Pure Appl. Geophys.*, **159**, 911-944.
- Bakun, W. H., and Joyner, W. (1984). The M_L scale in Central California. *Bull. Seism. Soc. Am.*, **74**, 5, 1827-1843.
- Bard, P.-Y. (1999). Microtremor measurements: A tool for site effect estimation? In: Irikura, K., Kudo, K., Okada, H., and Sasatani, T. (Eds.) (1999). *The effects of surface geology on seismic motion*. Proc. 2nd International Symposium in Yokohama, Japan, 1-3 Dec. 1998, A. A. Balkema, Rotterdam, ISBN 90 5809 030 2, 1251-1279.
- Barker, B., Clark, M., Davis, P., Fisk, M., Hedlin, M., Israelsson, H., Khalturin, V., Kim, W.-Y., McLaughlin, K., Meade, C., Murphy, J., North, R., Orcutt, J., Powell, C., Richards, P., Stead, R., Stevens, J., Vernon, F., and Wallace, T. (1999). *Monitoring nuclear tests*. Science, **281**, 1967-1968.
- Barrientos, S., Haslinger, F., and IMS Seismic Section (2001). *Seismological monitoring of the Comprehensive Nuclear-Test-Ban Treaty*. Carl Hanser Verlag, München, Kerntechnik, **66**, 3, 82-89.

- Bartal, Y., Somer, Z., Leonhard, G., Steinberg, D. M., and Horin, Y. B. (2000). Optimal seismic networks in Israel in the context of the Comprehensive Test Ban Treaty. *Bull. Seism. Soc. Am.*, **90**, 1, p 151-165.
- Basham, P., and Kind, R. (1986). GRF-broadband array analysis of the 1982 Minamichi, New Brunswick earthquake sequence. *J. Geophys.*, **60**, 120-128.
- Bastings, L. (1934). Shear waves through the Earth's core. *Nature*, **134**, 216-217.
- Båth, M. (1979). *Introduction to seismology*, 428 pp., Birkhauser Verlag. Basel.
- Båth, M. (1981). Earthquake magnitude - recent research and current trends. *Earth Science Reviews*, **17**, 315-398.
- Båth, M. (1984). Earthquake magnitudes based on PKP and SKP waves. In: *The O.G.S. Silver Anniversary Volume*, O.G.S. Trieste, p. 93-108
- Båth, M. (1985). Surface-wave magnitude corrections for intermediate and deep earthquakes. *Physics Earth Planet. Interiors*, **37**, 228-234.
- Båth, M., Kulhánek, O., van Eck, T., and Wahlstroem, R. (1976). Engineering analysis of ground motion in Sweden. *Seismological Institute of Uppsala, University Report no. 5-76*.
- Baumbach, M. (1999). SEIS89 - A PC tool for seismogram analysis. In: Bormann (Ed.) *International Training Course 1999 on Seismology, Seismic Hazard Assessment and Risk Mitigation, Lecture and exercise notes, Vol. 1*, GeoForschungsZentrum Potsdam, Scientific Technical Reports STR99/13, 423-452.
- Beauchamp (ed.) (1975): *Exploitation of seismograph networks*, NATO Advanced Study Institutes Series E 111, Nordhoff Leiden, XII + 647 pp.
- Beauduin, R., Lognonné, P., Montagner, J. P., Cacho, S., Karczewski, J. F., and Morand, M. (1996). The effects of the atmospheric pressure changes on seismic signals or How to improve the quality of a station. *Bull. Seism. Soc. Am.*, **86**, 6, 1760-1769.
- Beaumont, C., Berger, J. (1976). Earthquake prediction: modification of Earth tide tilts and strains by dilatancy. *Geophys. J.R. astr. Soc.*, **39**, 111 - 118.
- Beavan, J., Bilham, R., Emter, D., King, G. C. P. (1979). Observation of strain enhancement across a fissure. *Dt. Geod. Komm., Reihe B*, **231**, 47 - 58.
- Ben-Menahem, A., and Singh, S. J. (1981). *Seismic waves and sources*. Springer-Verlag, New York, Heidelberg, Berlin, 1108 pp.
- Benz, H. M., Vidale, J. E., and Mori, J. (1994). Using regional seismic networks to study the Earth's deep interior. *EOS, Trans. Am. Geophys. Un.* **75**, 225, 229.
- Berckhemer, H. (1962). Die Ausdehnung der Bruchfläche im Erdbebenherd und ihr Einfluss auf das seismische Wellenspektrum. *Gerl. Beitr. Geophys.*, **71**, 5-26.
- Berckhemer, H., and Lindenfeld, M. (1986). Determination of source energy from broadband seismograms. In: Buttkus, B. (Ed.) (1986). *Ten years of the Gräfenberg Array: Defining the frontiers of broadband seismology*. *Geologisches Jahrbuch Reihe E, Heft 35*, 79-83.
- Bergman, E. A. (1991). *International Seismological Observing Period; Preliminary Science Plan. Appendix A: Global Network Phase Data Reported to the ISC*. USGS Working Document, 13 figs., 3 pp.
- Bergman, E. A. (1994). ISOP circular letter with attachments, April 10, 1994, 14 pp.
- Bergmann, E. A., and Sipkin, S. A. (1994). Measurement protocols for routine analysis of digital seismic data. January 11, 1994, 8 pp.
- Berlage Jr., H. P. (1932). *Seismometer*, *Handbuch der Geophysik* (Ed. Gutenberg, B.) Gebrüder Borntraeger Verlag, Berlin, Vol. 4, Chapter 4, 299-526.
- Berteussen, K. A. (1974). NORSAR location calibrations and time delay corrections. In: *NORSAR Semiannual Technical Summary. 1 October 1973 – 31 March 1974*. Scientific Report **2-73/74**, Kjeller, Norway, 41 pp.
- Berteussen, K. A. (1976). The origin of slowness and azimuth anomalies at large arrays. *Bull. Seism. Soc. Am.*, **66**, 719-741.

References

- Bijwaard, H., Spakman, W., and Engdahl, E. R. (1998). Closing the gap between regional and global travel time tomography. *J. Geophys. Res.*, **103**, 30055-30078.
- Birtill, J. W., and Whiteway, F. E. (1965). The application of phased arrays to the analysis of seismic body waves. *Phil. Trans. R. Soc. of London, Math. and Phys. Sciences* **A-258**, No. 1091, 421-493.
- Blackman, E. K., Orcutt, J. A., and Forsyth, D. W. (1995). Recording teleseismic earthquakes using ocean-bottom seismographs at mid-ocean ridges. *Bull. Seism. Soc. Am.*, **85**, 6, 1648-1664.
- Blake, A. (1941). On the estimation of focal depth from macroseismic data. *Bull. Seism. Soc. Am.*, **31**, 225-231.
- Boatwright, J., and Fletcher, J. B. (1984) The partition of radiated energy between P and S waves, *Bull. Seism. Soc. Am.*, **74**, 361-376.
- Boatwright, J., and Choy, G. (1986). Teleseismic estimates of the energy radiated by shallow earthquakes. *J. Geophys. Res.*, **91**, B2, 2095-2112.
- Bock, G., Grünthal, G., and Wylegalla, K. (1996). The 1985/86 Western Bohemia earthquakes: Modelling source parameters with synthetic seismograms. *Tectonophysics*, **261**, 139-146.
- Bolt, B. A. (1982). *Inside the Earth: Evidence from earthquakes*. Freeman, San Francisco.
- Bolt, B. A. (1993). *Earthquakes and geological discovery*. The Scientific American Library, W. H. Freeman and Company, New York, 220 pp.
- Bolt, B. A. (1999). *Earthquakes*. 4th edition, W. H. Freeman NY, 366 pp.
- Boore, D. M. (1977). The motion of the ground in earthquakes. *Scientific American*, December 1977, W. H. Freeman and Company, San Francisco, 1-19.
- Boore, D. M. (1989). The Richter scale: its development and use for determining earthquake source parameter. *Tectonophysics*, **166**, 1-14.
- Borcherdt, R. D. and Healy, J. H. (1968). A method for estimating the uncertainty of seismic velocities measured by refraction techniques. *Bull. Seism. Soc. Am.*, **58**, 1769-1790.
- Bormann, P. (1966). Recording and interpretation of seismic events (principles, present state and tendencies of development) (in German). Publications of the Institut für Geodynamik, Jena, Akademie Verlag, Berlin, Vol. 1, 158 pp.
- Bormann, P. (1971a). Statistische Untersuchungen zur Ortung teleseismischer Ereignisse aus Raumwellenregistrierungen der Station Moxa. Veröff. Zentralinstitut für Physik der Erde 9(1971), 103 pp.
- Bormann, P. (1971b). Location of teleseismic events by means of body-wave records at station Moxa (in German: Ortung teleseismischer Ereignisse aus Raumwellenregistrierungen der Station Moxa), *Monatsberichte der ADW*, **13**, 10-12, 847-852.
- Bormann, P. (1972a). A study of travel-time residuals with respect to the location of teleseismic events from body-wave records at Moxa station. *Gerl. Beitr. Geophys.*, **81**, 117-124.
- Bormann, P. (1972b). A study of relative frequencies of body-wave onsets in seismic registrations of the station Moxa. In: *Seismological Bulletin 1967, Station Moxa (MOX)*. Akademie-Verlag, Berlin 1972, 379-397
- Bormann, P. (1972c). Identification of teleseismic events in the records of Moxa station. *Gerl. Beitr. Geophys.*, **81**, 1/2, 105-116.
- Bormann, P. (1973). Standardization and optimization of frequency-characteristics at Moxa station (GDR). *Proceed. XII Assembly of ESC, Bukarest, Technical and Economic Studies, D-Series, No. 10*, 133-145.
- Bormann, P. (Ed.) (1989). *Monitoring and analysis of the earthquake swarm 1985/86 in the region Vogtland / Western Bohemia*. Akademie der Wissenschaften der DDR, Veröffentlichung Nr. 110 des Zentralinstituts für Physik der Erde, Potsdam, 419 pp.

- Bormann, P. (1994). Concept for a new "Manual of Seismological Observatory Practice". European Seismological Commission, XXIV General Assembly 1994, Sept. 19-24, Proceedings and Activity Report 1992-1994, Vol. II, Athens, Greece, Univ. of Athens, Faculty of Sciences, Dept. of Geophysics and Geothermy, Athens (1994), 698-707.
- Bormann, P. (1998). Conversion and comparability of data presentations on seismic background noise. *J. Seism.*, **2**, 37-45.
- Bormann, P. (1999). Regional International Training Course 1999 on Seismology, Seismic Hazard Assessment and Risk Mitigation. Lecture and exercise notes. Vol. I and II, GeoForschungsZentrum Potsdam, Scientific Technical Report STR99/13, 675 pp.
- Bormann, P. (2000). International Training Courses on Seismology and Seismic Risk Assessment. *Seism. Res. Lett.*, **71**, 5, 499-509.
- Bormann, P. and Stelzner, J. (1972). Seismological Bulletin 1967, Station Moxa (MOX), Zentralinstitut Physik der Erde (ZIPE), Akademie-Verlag Berlin, 396 pp.
- Bormann, P., and Khalturin, V. I. (1975). Relations between different kinds of magnitude determinations and their regional variations. Proceed. XIVth General Assembly of the European Seismological Commission, Trieste, 16-22 September 1974. Nationalkomitee für Geodäsie und Geophysik, AdW der DDR, Berlin, 27-39.
- Bormann, P., and Wylegalla, K. (1975). Investigation of the correlation relationships between various kinds of magnitude determination at station Moxa depending on the type of instrument and on the source area (in German). *Public. Inst. Geophys. Polish Acad. Sci.*, **93**, 160-175.
- Bormann, P., Wylegalla, K., and Grosser, H. (1992a). The strong mining event of March 13, 1989: Analysis of the multiple event. Proc. of the XXII. General Assembly of the European Seismological Commission (ESC), Barcelona, 17-22 Sept. 1990, Proceedings and Activity Report 1988-1990, Servei Geològic de Catalunya, 153-158.
- Bormann, P., Wylegalla, K., Strauch, W., and Baumbach, M. (1992b). Potsdam seismological station network: processing facilities, noise conditions, detection threshold and localization accuracy. *Phys. Earth Planet. Int.*, **69**, 311-321.
- Bormann, P., Burghardt, P.-T., Makeyeva, L. I., and Vinnik, L. P. (1993). Teleseismic shear wave splitting and deformations in Central Europe. *Physics Earth Planet. Int.*, **78**, 157-166.
- Bormann, P., Wylegally, K., and Klinge, K. (1997). Analysis of broadband seismic noise at the German Regional Seismic Network and search for improved alternative station sites. *J. Seism.*, **1**, 357-381.
- Bormann, P., and Wendt, S. (1999). Identification and analysis of longitudinal core phases: Requirements and guidelines. In: Bormann (1999), 346-366.
- Borne, G. von dem (1904). Seismische Registrierungen in Göttingen, Juli bis Dezember 1903. Nachrichten von der Königlichen Gesellschaft der Wissenschaften zu Göttingen, Mathematisch-physikalische Klasse, 440-464.
- Bracewell, R. N. (1978). The Fourier transformation and its applications. McGraw-Hill, New York, 2nd edn.
- Braddner, H., and Dodds, I. G. (1964). Comparative seismic noise on the ocean bottom and on land. *J. Geophys. Res.*, **69**, 20, 4339-4348.
- Braze, R. J. (1978). Reevaluation of Modified Mercalli intensity scale for earthquakes using distance as determinant, NOAA Tech. Mem EDS NGSDC-4.
- Brillinger, D. R., Udias, A., and Bolt, B. A. (1980). A probability model for regional focal mechanism solutions. *Bull. Seism. Soc. Am.*, **70**, 149-170.
- Broding, R. A., Bentley-Llewellyn, N. J., and Hearn, D. P. (1964). A study of three dimensional seismic detection system. *Geophysics*, **29**, 2, 221-249.
- Brune, J. N. (1970). Tectonic stress and the spectra of shear waves from earthquakes. *J. Geophys. Res.*, **75**, 4997-5009.

References

- Brune, J. N., and Oliver, J. (1959). The seismic noise of the Earth's surface. *Bull. Seism. Soc. Am.*, **49**, 349-353.
- Brune, J. N., and Engen, G. R. (1969). Excitation of mantle Love waves and definition of mantle wave magnitude. *Bull. Seism. Soc. Am.*, **59**, 923-933.
- Buchbinder, G. R., and Haddon, R. A. W. (1990). Azimuthal anomalies of short-period P-wave arrivals from Nahanni aftershocks, Northwest territories, Canada, and effects of surface topography. *Bull. Seism. Soc. Am.*, **80**, 5, 1272-1283.
- Bufo, E., and Udias, A. (1984). An algorithm for focal mechanism determination using signs of first motion of P, SV, SH waves. *Rev. Geofisica*, **40**, 11-26.
- Buland, R. (1976). The mechanics of locating earthquakes, *Bull. Seism. Soc. Am.*, **66**, 173-187.
- Buland, R., and Chapman, C. (1983). The computation of seismic travel times. *Bull. Seism. Soc. Am.*, **73**, 1271-1302.
- Bullen, K. E. (1937, 1938, 1939). The ellipticity correction to travel-times of P and S earthquake waves. *Montl. Not. R. Astr. Soc., Geophys. Suppl.*, **4**, 143-157, 158-164, 317-331, 332-337, 469-471.
- Bullen, K. E. (1946). A hypothesis on compressibility at pressures of the order of a million atmospheres. *Nature*, **157**, 405.
- Bullen, K. E., and Bolt, B. A. (1985). *An introduction to the theory of seismology*. Fourth Edition, Cambridge University Press, 499.
- Bulletin of the Seismological Society Special Symposia Issue (1990). Regional seismic arrays and nuclear test ban verification. *Bull. Seism. Soc. Am.*, **80**, No. 6, Part B, 1775-2281.
- Bune, V. J., Vvedenskaya, N. A., Gorbunova, J. V., Kondorskaya, N. V., Landyрева, N. S., and Fedorova, J. V. (1970). Correlation of M_{LH} and M_{PV} by data of the network of seismic stations of USSR. *Geophys. J. R. astr. Soc.*, **19**, 533-542.
- Bungum, H., Husebye, E. S., and Ringdal, F. (1971). The NORSAR array and preliminary results of data analysis. *Geophys. J. R. astr. Soc.*, **25**, 115-126.
- Burton, P. W., McGonigle, R., Neilson, G., and Musson, R. M. W. (1985). Macroseismic focal depth and intensity attenuation for British earthquakes, in: *Earthquake engineering in Britain*, Telford, London, 91-110.
- Buttkus, B. (Ed.) (1986). Ten years of the Gräfenberg array: defining the frontiers of broadband seismology. *Geologisches Jahrbuch E-35*, Hannover, 135 pp.
- Buttkus, B. (1991). *Spektralanalyse und Filtertheorie in der angewandten Geophysik*, Springer Verlag, Berlin Heidelberg New York, ISBN 3-540-54498-4, 1991.
- Bycroft, G. N. (1978). The effect of soil-structure interaction on seismometer readings, *Bull. Seism. Soc. Am.*, **68**, 823.
- Capon, J. (1969). High-resolution frequency-wavenumber spectrum analysis. *Proc. IEEE* **57**, 1408-1418.
- Casey, R., and Ahern, T. (1996). Technical manual for Networked Data Centers (NETDC) protocol (IRIS, internal report) or <http://www.iris.washington.edu/manuals/netdc/>
- Cassidy, F., Christoffersson, A., Husebye, E. S., and Ruud, B. O. (1990). Robust and reliable techniques for epicentre location using time and slowness observations. *Bull. Seism. Soc. Am.*, **80**, 1, 140-149.
- Cecić, I., Musson, R. M. W., and Stucchi, M. (1996). Do seismologists agree upon epicentre determination from macroseismic data? A survey of ESC Working Group "Macroseismology", *Annali di Geofisica*, **39**, 5, 1013-1027.
- Červený, V. (2001). *Seismic ray theory*. ISBN 0-521-36671-2, Cambridge University Press, New York, VII + 713 pp.
- Červený, V., Molotkov, I. A., and Pšenčík, I. (1977). *Ray methods in seismology*. Univerzita Karlova, Prague, 214 pp.

- Cessaro, R. K. (1994). Sources of primary and secondary microseisms. *Bull. Seism. Soc. Am.*, **84**, 1, 142-148.
- Chapman, C. H. (1978). A new method for computing synthetic seismograms. *Geophys. J. R. astr. Soc.*, **54**, 481-518.
- Chapman, C. H. (2002). Seismic ray theory and finite frequency extensions. In: Lee et al.(2002), Part A, 103-123.
- Chávez, E., and Priestley, K. F. (1985). M_L observations in the great basin and M_o versus M_L relationships for the 1980 Mammoth Lakes, California, earthquake sequence. *Bull. Seism. Soc. Am.*, **75**, 6, 1583-1598.
- Chen, P., and Chen, H. (1989). Scaling law and its applications to earthquake statistical relations. *Tectonophysics*, **166**, 53-72.
- Chen, Q. F., and Willemann, R. J. (2001). Global test of seismic event locations using three dimensional Earth models. *Bull. Seism. Soc. Am.*, **91**, 6, 1704-1716.
- Chernobay, I. P., and Gabsatarova, I. P. (1999). Source classification in the Northern Caucasus. *Phys. Earth Planet. Int.*, **113**, 183-201.
- Chinnery, M. A. (1969). Earthquake magnitude and source parameters. *Bull. Seism. Soc. Am.*, **59**, 5, 1969-1982.
- Chouet, B. (1982). Free surface displacements in the near field of a tensile crack expanding in three dimensions. *J. Geophys. Res.*, **87**, 3868-3872.
- Chouet, B. (1986). Dynamics of a fluid-driven crack in three dimensions by the Finite Difference Method, *J. Geophys. Res.*, **91**, 13, 967-13,992.
- Chouet, B. (1987). Resonance of a fluid-driven crack: radiation properties and implications for the source of long-period events and harmonic tremor. *J. Geophys. Res.*, **93**, 4375-4400.
- Chouet, B. (1996a). Long-period volcano seismicity: its source and use in eruption Forecasting. *Nature*, **380**, 309-316.
- Chouet, B. (1996b). New methods and future trends in seismological volcano monitoring. In: Scarpa, R., and Tilling, R. (1996), 23-97.
- Chouet, B. A., Page, R. A., Stephens, C. D., Lahr, J. C., and Power, J. A. (1994). Precursory swarms of long period events at Redoubt Volcano (1989-1990), Alaska: their origin and use as a forecasting tool. *J. Volcanol. Geotherm. Res.*, **62**, 95-135.
- Chouet, B., Saccorotti, G., Martini, M., Dawson, P., De Luca, G., Milana, G., and Scarpa, R. (1997). Source and path effects in the wavefields of tremor and explosions at Stromboli Volcano, Italy. *J. Geophys. Res.*, **102**, 15129-15150.
- Choy, G. L., and Richards, P. G. (1975). Pulse distortion and Hilbert transformation in multiply reflected and refracted body waves. *Bull. Seism. Soc. Am.*, **65**, 1, 55-70.
- Choy, G. L., and Cormier, V. F. (1986). Direct measurement of the mantle attenuation operator from broadband P and S Waveforms. *J. Geophys. Res.*, **91**, 7326-7342
- Choy, G. L., and Boatwright, J. L. (1995). Global patterns of radiated seismic energy and apparent stress. *J. Geophys. Res.*, **100**, B9, 18,205-18,228.
- Choy, G. L., Boatwright, J., and Kirby, S. (2001). The radiated seismic energy and apparent stress of interplate and intraslab earthquakes at subduction zone environments: Implications for seismic hazard estimation. U.S. Geological Survey Open-File Report 01-0005, 18 pp.
- Christoffersson, A., Husebye, E. S., and Ingate, S. F. (1988). Wavefield decomposition using ML-probabilities in modeling single-site 3-component records. *Geophys. Journal*, **93**, 197-213.
- Christoskov, L., Kondorskaya, N. V., and Vanek, J. (1978). Homogeneous magnitude system of the Eurasian continent. *Tectonophysics*, **49**, 131-138.

References

- Christoskov, L., Kondorskaya, N. V., and Vanek, J. (1983). Homogeneous magnitude system of the Eurasian continent: S and L waves. Report SE-34, World Data Center A for Solid Earth, Boulder.
- Christoskov, L., Kondorskaya, N. V., and Vanek, J. (1985). Magnitude calibration functions for a multidimensional homogeneous system of reference stations. *Tectonophysics*, **118**, 213-226.
- Civetta, L., Gasparini, P., Luongo, G., and Rapolla, A. (Eds.) (1974) *Physical volcanology*. Elsevier Publishers, Amsterdam, 333 pp.
- Claerbout, J. F. (1964), Detection of P-wave from weak sources at great distances. *Geophys.* **29**, 197-211.
- Conrad, V. (1925). Laufzeitkurven des Tauernbebens vom 28. November, 1923. *Mitteilungen der Erdbeben-Kommission der Akademie der Wissenschaften in Wien, Neue Folge* **59**.
- Cooley, J. S., and Tukey, J. W. (1965). An algorithm for the calculation of complex Fourier Series. *Math. Comp.*, **19**, 297-301.
- Cormier, V. F. (1982). The effect of attenuation on seismic body waves. *Bull. Seism. Soc. Am.*, **72**, 1, 169-200.
- Cosentino, M., Gresta, S., Lombardo, G., Pantane, G., Riuscetti, M., Schick, R., and Viglianisi, A. (1984). Features of volcanic tremors at Mt. Etna (Sicily) during the March-August 1983 eruption. *Bull. Volcanol.*, **47**, 929-939.
- Cosentino, M., Lombardo, G., and Privitera, E. (1989). A model for internal dynamical processes on Mt. Etna. *Geophys. J. Int.*, **97**, 367-379.
- Crotwell, H. P., Owens, T. J.; Ritsema, J. (1999). The TauP toolkit: Flexible seismic travel-time and ray-path. *Seism. Res. Lett.* **70**, 154-160
- Dahlen, F. A., and Tromp, J. (1998). *Theoretical global seismology*. Princeton University Press.
- Dahlman, O., and Israelson, H. (1977). *Monitoring underground nuclear explosions*. Elsevier Scientific Publishing Company, Amsterdam-Oxford-New York, 440 pp.
- Dahm, T. (1996). Relative moment tensor inversion based on ray theory: theory and synthetic tests. *Geophys. J. Int.*, **124**, 245-257.
- Dahm, T., and Brandsdottir, B. (1997). Moment tensors of micro-earthquakes from the Eyjafjalajokull volcano in South Iceland, *Geophys. J. Int.*, **130**, 183-192.
- Das, S., and Kostrov, B. V. (1988). *Principles of earthquake source mechanics*. Cambridge University Press.
- Davies, D., Kelly, E. J., and Filson, J. R. (1971). The VESPA process for the analysis of seismic signals. *Nature* **232**, 8-13.
- Davison, C. (1900). Scales of seismic intensity, *Philosophical Magazine*, 5th Series, **50**, 44-53.
- Davison, C. (1921). On scales of seismic intensity and on the construction of isoseismal lines, *Bull. Seism. Soc. Am.*, **11**, 2, 95-129.
- Davison, C. (1933). Scales of seismic intensity: Supplementary paper, *Bull. Seism. Soc. Am.*, **23**, 158-166.
- Dawers, N. H., Anders, M. H., and Scholz, C. H. (1993). Growth of normal faults: Displacement-length scaling. *Geology*, **21**, 1107-1110.
- Deubel, K., Gaertner, H., Wolff, H., and Pröhl, S., (1996). Seismische Datenakquisition und Oberflächeneinfluß. In: Teßmer, G. (Ed.) *Lithologieerkundung für den Tiefenaufschluß mit seismischen Methoden (ILITASEIS)*", Abschlußbericht Band 1, Hamburg, 5-54.
- Dey-Sarkar, S. K. and Chapman, C. H. (1978). A simple method for the computation of body wave seismograms. *Bull. Seism. Soc. Amer.*, **68**, 1577-1593.
- Di Giovambattista, R., and Barba, S. (1997). An estimate of hypocenter location accuracy in a large network, possible implication for tectonic studies in Italy. *Geophys. J. Int.* **129**, 124-132.

- Doornbos, D. J. (Ed.) (1988a). Seismological algorithms, Computational methods and computer programs. Academic Press, New York, xvii + 469 pp.
- Doornbos, D. J. (1988b). Asphericity and ellipticity corrections. In: Doornbos (1988), 75-85.
- Doornbos, D. J., and Husebye, E. S. (1972). Array analysis of PKP phases and their precursors. *Phys. Earth Planet. Inter.*, **6**, 387-399.
- Doornbos, D. J., Engdahl, E. R., Jordan, T. H., and Bergman, E. A. (1991). International Seismological Observing Period; Preliminary Science Plan. Revised version. USGS Working Document, 11 figs., 21 pp.
- Douglas, A. (1967). Joint hypocenter determination. *Nature*, **215**, 47-48.
- Douglas, A. (2002). Seismometer arrays – their use in earthquake and test ban seismology. In: Lee et al. (2002), Part A, 357-367.
- Douglas, A., Hudson, J. A., Marshall, P. D., and Young, J. B. (1974). Earthquakes that look like explosions. *Geophys. J. R. astr. Soc.*, **36**, 227-233.
- Douglas, A., Stewart, R. C., and Richardson, L. (1984). Comments on “Analysis of broadband seismograms from the Chile-Peru area” by R. Kind, and D. Seidl. *Bull. Seism. Soc. Am.*, **74**, 2, 773-777.
- Douglas, A., and Rivers, D. W. (1988). An explosion that looks like an earthquake. *Bull. Seism. Soc. Am.*, **78**, 2, 1011-1019.
- Douglas, A., Bowers, D., and Young, J. B. (1997). On the onset of P seismograms. *Geophys. J. Int.*, **129**, 681-690.
- Douze, E. J. (1964). Signal and noise in deep wells. *Geophysics*, **29**, 5, 721-732.
- Dreier, R., Widmer, R., Schick, R., and Zürn, W. (1994). Stacking of broad-band seismograms of shocks at Stromboli. *Acta Vulcanol.*, **5**, 165-172.
- Driscoll, F. G. (1986). Groundwater and wells, Second Ed., published by Johnson Filtration Systems, Inc., St. Paul, MN, ISBN 0-9616456-0-1.
- Duda, S. J. (1986). The spectra and magnitudes of earthquakes. In: Buttkus, B. (Ed.). Ten years of the Gräfenberg Array: Defining the frontiers of broadband seismology. *Geologisches Jahrbuch Reihe E, Heft 35*, 71-79.
- Duda, S. J. (1989). Earthquakes: Magnitude, energy, and intensity. In: James, D. E. (Ed.). *The Encyclopedia of Solid Earth Geophysics*. Van Nostrand Reinhold Company, New York, 272-288.
- Duda, S. J., and Kaiser, D. (1989). Spectral magnitudes, magnitude spectra, and earthquake quantification: the stability issue of the corner period and of the maximum magnitude for a given earthquake. *Tectonophysics*, **166**, 205-219.
- Duda, S. J., and Yanovskaya, T. B. (1993). Spectral amplitude-distance curves for P-waves: effects of velocity and Q-distribution. *Tectonophysics*, **217**, 255-265.
- Dufumier, H. (1996). On the limits of linear tensor inversion of teleseismic body wave spectra. *Pageoph*, **147**, 467-482.
- Dziewonski, A. M., and Gilbert, F. (1976). The effect of small, aspherical perturbations on travel times and a re-examination of the corrections for ellipticity. *Geophys. J. R. astr. Soc.* **44**, 7-17.
- Dziewonski, A. M., Chou, T.-A., and Woodhouse, J. H. (1981). Determination of earthquake source parameters from waveform data for studies of global and regional seismicity. *J. Geophys. Res.*, **86**, 2825-2852.
- Dziewonski, A. M., and Anderson, D. L. (1981). Preliminary reference Earth model. *Physics of the Earth and Planetary Interiors*, **25**, 297-356.
- Dziewonski, A. M., and Anderson, D. L. (1983). Travel times and station corrections for P waves at teleseismic distances, *J. of Geophys. Res.*, **88**, 3295-3314.
- Eaton, J. P. (1992). Determination of amplitude and duration magnitudes and site residuals from short-period seismographs in Northern California. *Bull. Seism. Soc. Am.*, **82**, 2, 533-579.

References

- Ebel, J. E. (1982). M_L measurements for northeastern United States earthquakes. *Bull. Seism. Soc. Am.*, **72**, 1367-1378.
- Ebel, J. E. (1994). The $M_{Lg}(f)$ magnitude scale: A proposal for its use for northeastern North America. *Seism. Res. Lett.*, **65**, 2, 157-166.
- EEFIT (1993). EEFIT field investigations: objectives and methods. Earthquake Field Investigation Team, London, 2pp.
- Egen, P. N. C. (1828). Über das Erdbeben in den Rhein- und Niederlanden von 23 Feb. 1828, *Ann. Phys. Chem.*, **13**, 153-163.
- Ekström, G., and Dziewonski, A. M. (1988). Evidence of bias in estimations of earthquake size. *Nature*, **332**, 319-323.
- Endo, E. T., and Murray, T. L. (1991). Real-time seismic amplitude measurement (RSAM): a volcano monitoring and prediction tool. *Bull. Volcanol.*, **53**, 533-545.
- Engdahl, E. R., Van der Hilst, R. D., and Buland, R. P. (1998). Global teleseismic earthquake relocation with improved travel times and procedures for depth determination. *Bull. Seism. Soc. Am.*, **88**, 722-743.
- Evans, K., and Wyatt, F. (1984). Water table effects on the measurement of Earth strain. *Tectonophysics*, **108**, 323 - 337
- Evernden, J. F. (1971). Variation of Rayleigh-wave amplitude with distance. *Bull. Seism. Soc. Am.*, **61**, 231-240.
- Ewing, W. M., Jardetzky, W. W., and Press, F. (1957). *Elastic waves in layered media*. McGraw-Hill, New York.
- Fedotov, S. A., and Slavina, L. B. (1968). Estimate of the velocity of longitudinal waves in the upper mantle under the northwestern part of the Pacific Ocean and Kamchatka (in Russian). *Izv. Akad. Nauk SSSR, Fizika Zemli*, **2**, 8-31.
- Ferber, R.-G. (1989). Recursive deconvolution filters for seismograph systems. *Bull. Seism. Soc. Am.*, **79**, 5, 1629-1641.
- Fields, E., and Jacob, K. (1993). The theoretical response of sedimentary layers to ambient seismic noise. *Geophys. Res. Lett.*, **20**, 24, 2925-2928.
- Fix, J. E. (1972). Ambient Earth motion in the period range from 0.1 to 2560 sec. *Bull. Seism. Soc. Am.*, **62**, 1753-1760.
- Fix, J. E., and Sherwin, J. R. (1970). A high-sensitivity strain-inertial seismograph installation. *Bull. Seism. Soc. Am.*, **60**, 1803 - 1822.
- Flinn, E. (1965). Signal analysis using rectilinearity and direction of particle motion. *Proc. IEEE*, **53**, 1874-1876.
- Francis, T. J. G., Porter, I. T., and Lilwall, R. C. (1978). Microearthquakes near the eastern end of St. Paul's Fracture Zone, *Geophys. J. R. astr. Soc.*, **53**, 201-217.
- Frankel, A. (1994). Implications of felt area-magnitude relations for earthquake scaling and the average frequency of perceptible ground motion. *Bull. Seism. Soc. Am.*, **84**, 2, 462-465.
- Freiberger, W. F. (1963). An approximation method in signal detection. *Quart. J. App. Math.* **20**, 373-378.
- Friedrich, A. (1996). Untersuchung der breitbandigen seismischen Bodenunruhe an GRF- und GRSN-Stationen. Diploma Thesis, Department of Physics, University of Erlangen-Nürnberg.
- Friedrich, A., Klinge, K., and Krüger, F. (1998). Ocean-generated microseismic noise located with the Gräfenberg array. *J. Seism.*, **2**, 47-64.
- Frohlich, C. (1995). Characteristics of well-determined non-double-couple earthquakes in the Harvard CMT catalog, *Phys. Earth Planet. Inter.*, **91**, 213-228.
- Frosch, R. A., and Green Jr., P. E. (1966). The concept of a large aperture seismic array. *Proc. R. Soc. A*-**290**, 368-384.
- Fuchs, K., and Müller, G. (1971). Computation of synthetic seismograms with the reflectivity method and comparison to observations. *Geophys. J. R. astr. Soc.*, **23**, 417-433.

- Fukushima, Y. (1996). Scaling relations for strong ground motion prediction models with M^2 terms. *Bull. Seism. Soc. Am.*, **86**, 2, 329-336.
- Furumoto, M., Kunitomo, T., Inoue, H., Yamada, I., Yamaoka, K., Ikami, A., and Fukao, Y. (1990). Twin Sources of High-Frequency Volcanic Tremor of Izu-Oshima Volcano. *Japan. Geophys. Res. Lett.*, **17**, 25-27.
- Fyen, J. (1989). Event processor program package. In: *NORSAR Semiannual Technical Summary*. 1 Oct 1988 – 31 Mar 1989. Scientific Report **2-88/89**, Kjeller, Norway.
- Fyen, J. (2001). *NORSAR seismic data processing – user guide and command reference*. NORSAR (contribution 731) Kjeller, Norway.
- Galanopolous, A. G. (1961). On magnitude determination by using macroseismic data. *Ann. Geofis.*, **14**, 225-253.
- Galitzin, B. B. (1914). *Vorlesungen über Seismometrie*. Verlag Teubner, Berlin 1914, VIII + 538 pp.
- Gal'perin, E. I. (1955). *Azimutal'nij metod sejsmiceskich nabludenij*. Gostoptechizdat, 80 pp.
- Gal'perin, E. I. (1977). *Polyarizationnyi metod seismicheskikh isledovanii* Nedra Press, Moskow.
- Geiger, L. (1910). Herdbestimmung bei Erdbeben aus den Ankunftszeiten. *Nachrichten von der Königlichen Gesellschaft der Wissenschaften zu Göttingen, Mathematisch-Physikalische Klasse*, 331-349. (1912 translated to English by F.W.L. Peebles and A.H. Corey: Probability method for the determination of earthquake epicenters from the arrival time only. *Bulletin St. Louis University* **8**, 60-71).
- Geller, R. J. (1976). Scaling relations for earthquake source parameters and magnitudes. *Bull. Seism. Soc. Am.*, **66**, 1501-1523.
- Gephart, J. W., and Forsyth, D. W. (1984). An improved method for determining the regional stress tensor using earthquake focal mechanism data: application to the San Fernando earthquake sequence. *J. Geophys. Res.*, **89**, 9305-9320.
- Gilbert, F., and Dziewonski, A. M. (1975). An application of normal mode theory to the retrieval of structural parameters and source mechanisms from seismic spectra. *Philos. Trans. R. Soc. London, Ser. A* **278**, 187-269.
- Gilpin, R. (1962). *American scientists and nuclear weapons policy*. Princeton Univ. Press.
- Gladwin, M. T. (1984). High precision multi-component borehole deformation monitoring. *Rev. Sci. Instrum.*, **55**, 2011 - 2016.
- Goforth, T., and Herrin, E. (1981). An automatic seismic signal detection algorithm based on the Walsh transform. *BSSA*, **71**, 1351-1360.
- Goldman, D. E., and Gierke, H. E. (1961). Effects of shock and vibration on man. Chapter 44, In: Harris, C. M., and Crede, C. E. (Eds.): *Shock and Vibration Handbook*. McGraw-Hill, New York.
- Gomberg, J. S., Shedlock, K. M., and Roecker, W. W. (1990). The effect of S-wave arrival times on the accuracy of hypocenter estimation. *Bull. Seism. Soc. Am.*, **80**, 6, 1605-1628.
- Gomberg, J., Agnew, D. C. (1996). The Accuracy of Seismic Estimates of Dynamic Strains: An Evaluation Using Strainmeter and Seismometer Data from Pinion Flat Observatory, California. *Bull. Seism. Soc. Am.*, **86**, 212 - 220.
- Gorbunova, I. V., and Kondorskaya, N. V. (1977). Magnitudes in the seismological practice of the USSR. *Izv. Akad. Nauk SSSR, ser Fizika Zemli*, No. 2, Moscow (in Russian).
- Gordon, D. W. (1971). Surface-wave versus body-wave magnitude. *Earthquake Notes*, **42**, 3/4, 20-28.
- Gottschämmer, E. (1999). Volcanic tremor associated with eruptive activity at Bromo Volcano. *Ann. Geofis.*, **43**, 465-481.
- Gottschämmer, E., and Surono, I. (2000). Locating tremor and shock sources recorded at Bromo Volcano. *J. Volcanol. Geotherm. Res.*, **101**, 199-209.

References

- Gouly, N. R., King, G. C. P., and Wallard, A. J. (1974). Iodine stabilized laser strainmeter. *Geophys. J. R. astr. Soc.*, **39**, 269 - 282.
- Granville, J. P., Kim, W.-Y., and Richards, P. G. (2002). An assessment of seismic body-wave magnitudes published by the Prototype International Data Centre. Pre-print, submitted to *Seism. Res. Lett.* on April 10.
- Greenhalgh, S. A., and Singh, R. (1986). A revised magnitude scale for South Australian earthquakes. *Bull. Seism. Soc. Am.*, **76**, 3, 757-769.
- Greenhalgh, S. A., Denham, D., McDougall, R., and Rynn, J. M. (1989). Intensity relations for Australian earthquakes. *Tectonophysics*, **166**, 255-267.
- Griggs, D., and Press, F. (1961). Probing the earth with nuclear explosions. *J. Geophys. Res.*, **66**, 1, 237-258.
- Grünthal, G. (Ed.) (1998). European Macroseismic Scale 1998, *Cahiers du Centre Européen de Géodynamique et de Seismologie*, 15, Conseil de l'Europe, Luxembourg, 99 pp.
- Gurwitsch, I. I., 1970. *Seismische Erkundung*. Akademische Verlagsgesellschaft Geest & Portig K.-G., Leipzig, 699 pp.
- Gusev, A. A. (1991). Intermagnitude relationships and asperity statistics. *Pure Appl. Geophys.*, **136**, 515-527.
- Gutenberg, B. (1925). *Bearbeitung von Aufzeichnungen einiger Weltbeben*. Abhandlungen der Senckenbergischen Naturforschenden Gesellschaft, **40**, 57-88.
- Gutenberg, B. (1945a). Amplitudes of surface waves and magnitudes of shallow earthquakes. *Bull. Seism. Soc. Am.*, **35**, 3-12.
- Gutenberg, B. (1945b). Amplitudes of P, PP, and S and magnitude of shallow earthquakes. *Bull. Seism. Soc. Am.*, **35**, 57-69.
- Gutenberg, B. (1945c). Magnitude determination of deep-focus earthquakes. *Bull. Seism. Soc. Am.*, **35**, 117-130.
- Gutenberg, B., and Richter, C. F. (1933). Advantages of using geocentric latitude in calculating distances. *Gerl. Beitr. Geophysik* **40**, 380-389.
- Gutenberg, B., and Richter, C. F. (1934). On seismic waves (first paper). *Gerl. Beitr. Geophysik* **43**, 56 – 133.
- Gutenberg, B., and Richter, C. F. (1936a). On seismic waves (third paper). *Gerl. Beitr. Geophysik*, **47**, 73-131.
- Gutenberg, B., and Richter, C. F. (1936b). Materials for the study of deep-focus earthquakes. *Bull. Seism. Soc. Am.* **26**, 341 – 390 (edition in French: *Données relatives a l'étude des tremblements de terre a foyer profond*. Publications du Bureau Central Séismologique International, Série A, *Travaux Scientifiques* **15**, 1 - 70, 1937).
- Gutenberg, B., and Richter, C. F. (1937). Materials for the study of deep-focus earthquakes (second paper). *Bull. Seism. Soc. Am.* **27**, 157 – 184 (partly edited in French: *Données relatives a l'étude des tremblements de terre a foyer profond*. Publications du Bureau Central Séismologique International, Série A, *Travaux Scientifiques* **15**, 1 - 70, 1937).
- Gutenberg, B., and Richter, C. F. (1942). Earthquake magnitude, intensity, energy and acceleration. *Bull. Seism. Soc. Am.*, **32**, 163-191.
- Gutenberg, B., and Richter, C. F. (1954). *Seismicity of the Earth*. Princeton University Press, 2nd ed., 310 pp.
- Gutenberg, B., and Richter, C. F. (1956a). Magnitude and energy of earthquakes. *Annali di Geofisica*, **9**, 1-15.
- Gutenberg, B., and Richter, C. F. (1956b). Earthquake magnitude, intensity, energy and acceleration. *Bull. Seism. Soc. Am.*, **46**, 105-145.
- Gutenberg, B., and Richter, C. F. (1956c). The energy of earthquakes. *Q. J. Geol. Soc. London*, **112**, 1-14.
- Habermann, R. E. (1995). Opinion. *Seism. Res. Lett.*, **66**, 5, 3.

- Hanka, W., and Kind, R. (1994). The GEOFON Program. *Annali di Geofisica*, **37**, 5, 1060-1065.
- Hanks, T. C. (1977). Earthquake stress drops, ambient tectonic stress, and the stresses that drive plate motion. *Pure Appl. Geophys.*, **115**, 441-458.
- Hanks, T. C., Hileman, J. A., and Thatcher, W. (1975). Seismic moments of the larger earthquakes of the southern California region. *Soc. Bull. Geol.*, **86**, 1131-1139.
- Hanks, T. C., and Johnston, A. C. (1992). Common features of the excitation and propagation of strong ground motion for North American earthquakes. *Bull. Seism. Soc. Am.*, **82**, 1-23.
- Hardt, M., and Scherbaum, F. (1994). The design of optimum networks for aftershock recordings. *Geophys. J. Int.*, **117**, 716-726.
- Harjes, H.-P. (1990). Design and siting of a new regional seismic array in Central Europe. *Bull. Seism. Soc. Am.*, **80**, 1801-1817.
- Harjes, H.-P., and Henger, M. (1973). Array-Seismologie, *Z. Geophys.*, **39**, 865-905 (in German).
- Harjes, H.-P., and Seidl, D. (1978). Digital recording and analysis of broad-band seismic data at the Gräfenberg (GRF-) array. *J. Geophys.*, **44**, 511-523.
- Haskell, N. A. (1953). The dispersion of surface waves on multilayered media. *Bull. Seism. Soc. Am.*, **43**, 17-43.
- Haskell, N. A. (1964). Total energy and energy spectral density of elastic wave radiation from propagating faults. *Bull. Seism. Soc. Am.*, **54**, 1811-1841.
- Haskell, N. A. (1966). Total energy and energy spectral density of elastic wave radiation from propagating faults. Part II. A statistical fault model. *Bull. Seism. Soc. Am.*, **56**, 125-140.
- Hatzidimitriou, P., Papazachos, C., Kiratzi, A., and Theodulidis, N. (1993). Estimation of attenuation structure and local earthquake magnitude based on acceleration records in Greece. *Tectonophysics*, **217**, 243-253.
- Haubrich, R. A. (1968). Array design. *Bull. Seism. Soc. Am.*, **58**, 977-991.
- Haubrich, R. A., Munk, W. H., and Snodgrass, F. E. (1963). Comparative spectra of microseisms and swell. *Bull. Seism. Soc. Am.*, **53**, 27-37.
- Havskov, J. (Ed.) (1996). The SEISAN earthquake analysis software for the IBM PC and SUN, Version 5.2. Institute of Solid Earth Physics, Univ. of Bergen, August 1996.
- Havskov, J., and Ottemöller, L. (1999 a). SeisNet: A general purpose virtual seismic network. *Seism. Res. Lett.*, **70**, 522-528.
- Havskov, J., and Ottemöller, L. (1999 b). Electronic Seismologist - SeisAn Earthquake Analysis Software. *Seism. Res. Lett.*, **70**, 532-534.
- Havskov, J., and Alguacil, G. . (2004). Instrumentation in earthquake seismology. *Modern Approaches in Geophysics*, Vol. 22, Springer, 358 pp. plus CD.
- Hellweg, M., Seidl, D., Kirbani, S. B., and Brüstle, W. (1994). Team investigates activity at Mt. Semeru, Java, volcano, *EOS*, **75**, 313-317.
- Hellweg, M. (1999). Listening carefully: unique observations of harmonic tremor at Lascar volcano, Chile. *Ann. Geofisica*, **42**, 451-464.
- Hellwege, K.-H. (Ed) (1982). *Landolt-Börnstein: Numerical Data and functional relationships in science and technology*. Vol. 1, Physical properties of rocks, subvolume b, Elasticity of rocks and minerals. Springer-Verlag Berlin-Heidelberg-New Yorks, 41-74.
- Henger, M. (1981). Noise measurements in a borehole near Gorleben (personal communication).
- Henger, M. (Reporter) (1995). Abschlussbericht Breitbandfassung seismischen Wellenfeldes im Bereich der Bundesrepublik Deutschland. Phase A: Errichtung und Betrieb der seismischen Stationen und des Datezentrums. DFG- Forschungsvorhaben Du 36/9-1,2 und Ba 1276/1-1, BGR Archiv Nr. 113 510.

References

- Henger, M., Stork, B., and Leydecker, G. (1981). Entwicklung und Aufbau eines seismischen Stationsnetzes im Raum Gorleben. Bericht der Bundesanstalt für Geowissenschaften und Rohstoffe, Hannover.
- Herak, M., and Herak, D. (1993). Distance dependence of M_S and calibrating function for 20 s Rayleigh waves. *Bull. Seism. Soc. Am.*, **83**, 6, 1881-1892.
- Herrmann, R. B. (1975). The use of duration as a measure of seismic moment and magnitude. *Bull. Seism. Soc. Am.*, **65**, 899-913.
- Herrmann, R. B., and Nuttli, O. W. (1982). Magnitude: The relation between M_L and m_{bLg} . *Bull. Seism. Soc. Am.*, **72**, 389-397.
- Herrmann, R. B., and Kijko, A. (1983). Modeling some empirical L_g relations. *Bull. Seism. Soc. Am.*, **73**, 1835-1850.
- Hidayat, D., Voight, B., Langston, C., Ratdomopurbo, A., and Ebeling, C. (2000). Broadband seismic experiment at Merapi Volcano, Java, Indonesia: very-long-period pulses embedded in multiphase earthquake. *J. Volcanol. Geotherm. Res.*, **100**, 215-231.
- Holcomb, G. L. (1989). A direct method for calculating instrument noise levels in side-by-side seismometer evaluations. Open-file report 89-214, U. S. Geological Survey.
- Holcomb, G. L. (1990). A numerical study of some potential sources of error in side-by-side seismometer evaluations. Open-file report 90-406, U. S. Geological Survey.
- Holcomb, G. L., and Hutt, C. R. (1992). An evaluation of installation methods for STS-1 seismometers. Open File Report 92-302, U. S. Geological Survey, Albuquerque, NM.
- Horst, W., and Küstermann, W. (1995). Ergebnisse reflexionsseismischer Messungen im Bereich der Struktur Rüdersdorf. In: Schroeder, J. H. (Ed.). Fortschritte in der Geologie von Rüdersdorf. Berliner Geowissenschaftliche Abhandlungen, Reihe A, Band 168, FU Berlin, 135-146.
- Hutton, L. K., and Boore, D. M. (1987). The M_L scale in Southern California. *Bull. Seism. Soc. Am.*, **77**, 6, 2074-2094.
- Houard, S., Plantet, J. L., Massot, J. P., and Nataf, H. C. (1993). Amplitudes of core waves near the PKP caustic, from nuclear explosions in the South Pacific recorded at the "Laboratoire de Detection et Geophysique" network in France. *Bull. Seism. Soc. Am.*, **83**, 6, 1835-1854.
- Houston, H., and Kanamori, H. (1986). Source spectra of great earthquakes: teleseismic constraints on rupture process and strong motion. *Bull. Seism. Soc., Am.*, **76**, 1, 19-42.
- Hutt, C. R., Bolton, H. F., and Holcomb, L. G. (2002). U.S. contribution to digital global seismograph networks. In: Lee et al. (2002), Part A, 319-332.
- Hutton, L. K., and Boore, D. M. (1987). The M_L scale in Southern California. *Bull. Seism. Soc. Am.*, **77**, 6, 2074-2094.
- Hutton, L. K., and Jones, L. M. (1993). Local magnitudes and apparent variations in seismicity rates in Southern California. *Bull. Seism. Soc. Am.*, **83**, 2, 313-329.
- Hwang, L. J., and Clayton, R. W. (1991). A station catalog of ISC arrivals: Seismic station histories and station residuals. U.S. Geological Service Open-File Report 91-295.
- Hyvernaud, O., Reymond, D., Talandier, J., and Okal, E. A. (1993). Four years of automated measurement of seismic moments at Papeete using the mantle magnitude M_m : 1987-1991. *Tectonophysics*, **217**, 175-193.
- IDC Documentation (May 1998). Technical Instructions: Analyst instructions for seismic, hydroacoustic, and infrozonic data, 103pp.
- Iida, K. (1959). Earthquake energy and earthquake fault length. *J. Earth Sci., Nagoya Univ.*, **7**, 98-107.
- Iida, K. (1959). *J. Earth Sci. Nagoya Univ.*, **7**, 2, 98-107.
- Imbo, G. (1954). Sismicita del parossismo vesuviano del marzo 1944. *Annali del Oss. Vesuviano, Sesta Serie*, **1**, 1-211.

- ISC (2001). International Seismological Centre, On-line Bulletin, <http://www.isc.ac.uk/Bull>, Internatl. Seism. Cent., Thatcham, United Kingdom.
- Ishihara, K. (1996). Soil Behaviour in Earthquake Geotechnics. Oxford Engineering Science Series, No 46, Clarendon Press, ISBN: 0198562241.
- Jacob, K. H. (1972). Global tectonic implications of anomalous seismic P travel-times from the nuclear explosion Longshot. *J. Geophys. Res.* **77**, 14.
- Jánosi, I. (1907). Makroszeizmikus rengések feldolgozása a Cancani-féle egyenlet alapján, in Réthly, A., (Ed.) Az 1906 évi Magyarországi Földrengések, A. M. Kir. Orsz. Met. Föld. Int., Budapest, 77-82.
- Japanese Meteorological Agency (1996). Explanation Table of JMA Seismic Intensity Scale (February 1996), 4pp.
- J-Array Group (1993). The J-array program: system and present status. *J. Geomag. Geoelectr.*, **45**, 1265-1274.
- Jeffreys, H. (1926). On near earthquakes. *Month. Not. Roy. Astr. Soc., Geophys. Suppl.* **1**, 385-402.
- Jeffreys, H., and Bullen, K. E. (1940, 1948, 1958, 1967, and 1970). *Seismological Tables*. British Association for the Advancement of Science, Gray Milne Trust, London, 50 pp.
- Jennings, P. C., and Kanamori, H. (1983). Effect of distance on local magnitudes found from strong motion records, *Bull. Seism. Soc. Am.*, **73**, 265-280.
- Johnson, C. E., Bittenbinder, A., Bogaert, B., Dietz, L., and Kohler, W. (1995). Earthworm: A Flexible Approach to Seismic Network Processing. *IRIS Newsletter*, **14**, 2, 1-4.
- Johnson, J. B., and Lees, J. M. (2000). Plugs and chugs - seismic and acoustic observations of degassing explosions at Karymsky, Russia and Sangay, Ecuador. *J. Volcanol. Geotherm. Res.*, **101**, 67-82.
- Johnston, A. C. (1993). The stable continental region data base. In: *The earthquakes of stable continental regions: Assessment of large earthquake potential*. EPRI report TR-102261, Electric Power Research Institute, Palo Alto, California.
- Jones, R. V., and Richards, J. C. S. (1973). The design and some applications of sensitive capacitance micrometers. *J. Physics E: Scientific Instruments*, **6**, 589-600.
- Jost, M. L., and Herrmann, R. B. (1989). A student's guide to and review of moment tensors. *Seism. Res. Lett.*, **60**, 37-57.
- Joswig, M. (1990). Pattern recognition for earthquake detection. *Bull. Seism. Soc. Am.*, **80**, 170-186.
- Joswig, M. (1993). Single-trace detection and array-wide coincidence association of local earthquakes and explosions. *Computers and Geosciences*, **19**, 207-221.
- Joswig, M. (1995). Artificial intelligence techniques applied to seismic signal analysis. *Conseil de Léurope, Cahiers du Centre Européen de Géodynamique et de Séismologie*, Vol. 9, Proceedings of the Workshop: Dynamic systems and artificial intelligence applied to data banks in geophysics, 5-15.
- Jurkevics, A. (1988). Polarization analysis of three-component array data. *Bull. Seism. Soc. Am.*, **78**, 1725-1743.
- Kanamori, H. (1977). The energy release in great earthquakes. *J. Geophys. Res.* **82**, 2981-2987.
- Kanamori, H., and Cipar, J. J. (1974). Focal process of the great Chilean earthquake May 22, 1960. *Phys. Earth Planet. Inter.*, **9**, 128-136.
- Kanamori, H. (1980). The size of earthquakes. *Earthquake information bulletin*, **12**, 1, 10-15.
- Kanamori, H. (1983). Magnitude scale and quantification of earthquakes. *Tectonophysics*, **93**, 185-199.
- Kanamori, H., and Anderson, D. L. (1975). Theoretical basis of some empirical relations in seismology. *Bull. Seism. Soc. Am.*, **65**, 1073-1095.

References

- Kanamori, H., and Jennings, P. C. (1978). Determination of local magnitude, M_L , from strong motion accelerograms. *Bull. Seism. Soc. Am.*, **68**, 471-485.
- Kanamori, H., Mori, J., Hauksson, E., Heaton, Th. H., Hutton, L. K., and Jones, L. M. (1993). Determination of earthquake energy release and M_L using TERRASCOPE. *Bull. Seism. Soc. Am.*, **83**, 2, 330-346.
- Kanasewich, E. R., Hemmings, C. D., and Alpaslan, T. (1973). N-th root stack nonlinear multichannel filter. *Geophysics*, **38**, 327-338.
- Karnik, V. (1969). *Seismicity of the European area. Part I.* Reidel Publishing Company, Dordrecht, 364 pp.
- Karnik, V. (1972). Differences in magnitudes. *Vorträge des Soproner Symposiums der 4. Subkommission von KAPG 1970, Budapest*, 69-80.
- Karnik, V., Kondorskaya, N. V., Riznichenko, Yu. V., Savarensky, Ye. F., Soloviev, S. L., Shebalin, N. V., Vanek, J., and Zatopek, A. (1962). Standardisation of the earthquake magnitude scales. *Studia Geophysica et Geodaetica*, **6**, 41-48.
- Kawakatsu, H., Kaneshima, S., Matsubayashi, H., Ohminato, T., Sudo, Y., Tsutsui, T., Uhira, K., Yamasato, H., Ito, H., and Legrand, D. (2000). Aso94: Aso seismic observation with broadband instruments. *J. Volcanol. Geotherm. Res.*, **101**, 129-154.
- Kawasumi, H. (1951). Measures of earthquake danger and expectancy of maximum intensity throughout Japan as inferred from the seismic activity in historical times. *Bull. Earthq. Res. Inst.*, **29**, 469-482.
- Keen, C. G., Montgomery, J., Mowat, W. M. H., and Platt, D. C. (1965). British seismometer array recording systems. *The Radio and Electronic Engineer*, **30**, 297-306.
- Keilis-Borok, V. I., (1959). On the estimation of displacement in an earthquake source and of source dimension. *Ann. Geofis.*, **12**, 205-214.
- Kennett, B. L. N. (1983). *Seismic wave propagation in stratified media.* ISBN 0-521-23933-8 Cambridge University Press, Cambridge, viii + 242 pp.
- Kennett, B. L. N. (1988). Systematic approximations to the seismic wavefields, In: Doornbos (1988a), 237-259.
- Kennett, B. L. N. (Ed.) (1991). *IASPEI 1991 Seismological Tables.* Research School of Earth Sciences, Australian National University. 167 pp.
- Kennett, B. L. N. (1992). Locating oceanic earthquakes - the influence of regional models and location criteria, *Geophys. J. Int.*, **108**, 848-854.
- Kennett, B. L. N. (2000). Stacking three-component seismograms. *Geophys. J. Int.*, **141**, 263-269.
- Kennett, B. L. N. (2001). *The seismic wavefield. Volume I: Introduction and theoretical development.* Cambridge University Press, Cambridge, x + 370 pp.
- Kennett, B. L. N. (2002). *The seismic wavefield. Volume II: Interpretation of seismograms on regional and global scales.* Cambridge University Press, Cambridge, x + 534 pp.
- Kennett, B. L. N., and Engdahl, E. R. (1991). Traveltimes for global earthquake location and phase identification. *Geophys. J. Int.*, **105**, 429-465.
- Kennett, B. L. N., Engdahl, E. R., and Buland, R. (1995). Constraints on seismic velocities in the Earth from traveltimes. *Geophys. J. Int.*, **122**, 108-124.
- Kennett, B. L. N., and Gudmundsson, O. (1996). Ellipticity corrections for seismic phases, *Geophys. J. Int.*, **127**, 40-48.
- Khromovskikh, V. S. (1989). Determination of magnitudes of ancient earthquakes from dimensions of observed seismodislocations. *Tectonophysics*, **166**, 269-280.
- Kijko, A. (1977). An algorithm for the optimum distribution of a regional seismic network - I. *Pageoph*, **115**, 999-1009.
- Kikuchi, M., and Fukao, Y. (1987). Inversion of long-period P-waves from great earthquakes along subduction zones. *Tectonophysics*, **144**, 231-247.

- Kikuchi, M., and Fukao, Y. (1988). Seismic wave energy inferred from long-period body wave inversion. *Bull. Seism. Soc. Am.*, **78**, 5, 1707-1724.
- Kikuchi, M., and Kanamori, H. (1991). Inversion of complex body waves - III, *Bull. Seism. Soc. Am.*, **81**, 2335-2350.
- Kikuchi, M., and Ishida, M. (1993). Source retrieval for deep local earthquakes with broadband records. *Bull. Seism. Soc. Am.*, **83**, 6, 1855-1870.
- Kim, W.-Y. (1998). The M_L scale in Eastern North America. *Bull. Seism. Soc. Am.*, **88**, 4, 935-951.
- Kim, W.-Y., Wahlström, R., and Uski, M. (1989). Regional spectral scaling relations of source parameters for earthquakes in the Baltic Shield. *Tectonophysics*, **166**, 151-161.
- Kind, R., (1978). The reflectivity method for a buried source. *J. Geophys.*, **44**, 603-612.
- Kind, R., (1985). The reflectivity method for different source and receiver structures and comparison with GRF data. *J. Geophys.* **58**, 146-152.
- King, G. C. P, and Bilham, R. G. (1976). A geophysical wire strainmeter. *Bull. Seism. Soc. Am.*, **66**, 2039-2047.
- King, G. C. P., Zürn, W., Evans, R., and Emter, D. (1976). Site corrections for long period seismometers, tiltmeters and strainmeters. *Geophys. J. R. astr. Soc.*, **44**, 405 - 411.
- Kiratzi, A. A., and Papazachos, B. C. (1984). Magnitude scales for earthquakes in Greece. *Bull. Seism. Soc. Am.*, **74**, 3, 969-985.
- Kiratzi, A. A., and Papazachos, B. C. (1985). Local Richter magnitude and total signal duration in Greece. *Ann. Geophys.*, **3**, 4, 531-537.
- Kirchdörfer, M. (1999). Analysis and quasistatic FE modeling of long period impulsive events associated with explosions at Stromboli volcano (Italy). *Ann. Geofisica*, **42**, 379-390.
- Kissling, E. (1988). Geotomography with local earthquake data. *Rev. Geophys.*, **26**, 659-698.
- Klein, F. W. (1978). Hypocenter location program HYPOINVERSE. U.S. Geol. Surv. Open-File Report. 78-694.
- Klein, F. W. (1985). HYPOINVERSE, a program for VAX and professional 350 computers to solve the earthquake locations. U.S. Geological Survey Open-File Report 85-515, 53 pp.
- Klinge, K. (1989). Duration magnitude. In: Bormann (1989), 109-115.
- Knothe, Ch. (1963). Verbesserte Auswertung tiefenseismischer Beobachtungen durch Verwendung von Mehrkomponenten-Stationen. *Freiberger Forschungshefte*, D149, 53 pp.
- Konno, K., Ohmachi, T., Endoh, T., and Toshinawa, T. (1994). Refinement and application of an estimation procedure for site natural periods using microtremor (abstract), 27th Gen. Assem. of IASPEI, Wellington, New Zealand, 10-21 January.
- Kostrov, B. (1974). Seismic moment and energy of earthquakes, and seismic flow of rock. *Izv. Acad. Sci., USSR, Phys. Solid Earth (Engl. Transl.)*, **1**, 23-40.
- Kostrov, B. V. (1975). *Mechanika otschaga tektonitscheskogo semletrjasenija*. Isdatelstwo Nauka, Moskva.
- Kövesligethy, R. (1906). A makroszeizmikus rengések feldolgozása, *Math. És Természettudományi Értesítő*, **24**, 349-368.
- Kövesligethy, R. (1907). Seismischer Stärkegrad und Intensität der Beben, *Beitr. zur Geoph.*, **8**, 363-366.
- Kowalle, G., Tittel, B., and Bormann, P. (1983). Determination of a magnitude calibration function using short-period readings of PKP. *Tectonophysics*, **93**, 289-294.
- Koyama, J., and Zheng, S.-H. (1985). Excitation of short-period body-waves by great earthquakes. *Physics Earth Planet. Int.*, **37**, 108-123.
- Kradolfer, U. (1996). AutoDRM - The first five years. *Seism. Res. Lett.*, **67**, 4, 30-33.
- Kravanja, S., Panza, G. F., and Sileny, J. (1999). Robust retrieval of a seismic point-source function. *Geophys. J. Int.*, **136**, 385-394.

References

- Krüger, F., and Weber, M. (1992). The effect of low velocity sediments on the mislocation vectors of the GRF array. *Geophys. J. Int.*, **105**, 387-393.
- Krüger, F., Weber, M., Scherbaum, F., and Schlittenhardt, J. (1993). Double beam analysis of anomalies in the core-mantle boundary region. *Geophys. Res. Lett.*, **20**, 1475-1478.
- Kuge, K., and Kawakatsu, H. (1990). Analysis of a deep “non double couple” earthquake using very broadband data, *Geophys. Res. Lett.*, **17**, 227-230.
- Kulhánek, O. (1990). Anatomy of seismograms. *Developments in Solid Earth Geophysics* **18**, Elsevier, Amsterdam, 78 pp.
- Kulhánek, O. (2002). The structure and interpretation of seismograms. In: Lee et al. (2002), Part A, 333-348.
- Kümpel, H.-J. (1992). About the potential of wells to reflect stress variations within the inhomogeneous crust. *Tectonophysics*, **211**, 317 - 336.
- Kværna, T. (1989). On exploitation of small-aperture NORESS type arrays for enhanced P-wave detectability. *Bull. Seism. Soc. Am.*, **79**, 888-900.
- Kværna, T., and Doornbos, D. J. (1986). An integrated approach to slowness analysis with arrays and three-component stations. In: *NORSAR Semiannual Technical Summary*, 1 October 1985 – 31 March 1986, Scientific Report **2-85/86**, NORSAR, Kjeller, Norway, 60-69.
- Kværna, T., and Ringdal, F. (1986). Stability of various f-k estimation techniques. In: *NORSAR Semiannual Technical Summary*, 1 April 1986 – 30 September 1986, Scientific Report **1-86/87**, NORSAR, Kjeller, Norway, 29-40.
- Kværna, K., Ringdal, F., Schweitzer, J., and Taylor, L. (2002). Optimized seismic threshold monitoring — part 2: teleseismic processing. *Pure Appl. Geophys.*, **159**, 989–1004.
- Lachet, C., and Bard, P.-Y. (1994). Numerical and theoretical investigations on the possibilities and limitations of the "Nakamura's" technique. *J. Physics of the Earth*, **42**, 377-397.
- LaCoste, L. J. B. (1934). A new type long period seismograph, *Physics*, **5**, 178-180.
- Lahr, J. C. (1989). *HYPOELLIPSE/Version 2.0: A computer program for determining local earthquakes hypocentral parameters, magnitude, and first motion pattern*. U.S. Geological Survey Open-File Report 89-116, 92 pp.
- Lahr, J. C., Chouet, B. A., Stephens, C. D., Power, J. A., and Page, R. A. (1994). Earthquake classification, location and error analysis in a volcanic environment: implications for the magmatic system of the 1989-1990 eruptions at Redoubt Volcano, Alaska. In: Miller, T. P., and Chouet, B. A. (Eds.), *The 1989 - 1990 eruptions of Redoubt Volcano, Alaska*, *J. Volcanol. Geotherm. Res.*, **62**, 137-151.
- Langston, C. A., and Helmberger, D. V. (1975). A procedure for modeling shallow dislocation sources. *Geophys. J. R. astr. Soc.*, **42**, 117-130.
- Langston, C. A., Brazier, R., Nyblade, A. A., and Owens, T. J. (1998). Local magnitude scale and seismicity rate for Tanzania, East Africa. *Bull. Seism. Soc. Am.*, **88**, 3, 712-721.
- Lapwood, E. R., and Usami, T. (1981). *Free oscillations of the Earth*. Cambridge University Press, Cambridge, UK.
- La Rocca, M., Petrosino, S., Saccorotti, G., Simini, M., Ibanez, J., Almendros, J., and Del Pezzo, E. (2000). Location of the source and shallow velocity model deduced from the explosion quakes recorded by two seismic antennas at Stromboli volcano. *Phys. Chem. Earth. Part A*, **25**, 731-735.
- Latynina, L. A., and Rizaeva, S. D. (1976). On tidal-strain variations before earthquakes. *Tectonophysics*, **31**, 121 - 127
- Lay, T., and Wallace, T. C. (1995). *Modern global seismology*. ISBN 0-12-732870-X, Academic Press, 521 pp.
- Lazareva, A. P., and Yanovskaya, T. B. (1975). The effect of the lateral velocity on the surface wave amplitudes. *Proc. Intern. Symp. Seismology and Solid-Earth Physics*, Jena, April 1-6, 1974. *Veröff. Zentralinstitut für Physik d. Erde*, No. 31, Vol. 2, 433-440.

- Lee, W. H. K. (1995). Realtime seismic data acquisition and processing. IASPEI Software Vol.1, 2nd Edition.
- Lee, W. H. K., Bennet, R., and Meagher, K. (1972). A method of estimating magnitude of local earthquakes from signal duration. U.S. Geol. Surv. Open-File Rep., 28 pp.
- Lee, W. H. K., and Lahr, J. C. (1975). HYPO71 (revised): A computer program for determining hypocenter, magnitude and first motion pattern of local earthquakes. U.S. Geological Survey Open-File Report 75-311, 116 pp.
- Lee, W. H. K., and Steward, S. W. (1981). Principles and applications of micro-earthquake networks, Advances in Geophysics, Supplement 2, Academic Press, New York.
- Lee, V., Trifunac, M., Herak, M., Živčić, M., and Herak, D. (1990). M_L^{SM} computed from strong motion accelerograms recorded in Yugoslavia. Earthquake Engineering and structural dynamics, **19**, 1167-1179.
- Lee, W. H. K., Kanamori, H., Jennings, P. C., and Kisslinger, C. (Editors) (2002). International Handbook of Earthquake and Engineering Seismology. Part A, Academic Press, ISBN 0-12-440652-1, xxiii+933 pp.
- Legrand, D., Kaneshima, S., and Kawakatsu, H. (2000). Moment tensor analysis of near-field broadband waveforms observed at Aso Volcano, Japan. J. Volcanol. Geotherm. Res., **101**, 155-169.
- Lemzikov, V. K., and Gusev, A. A. (1989). Coda-based energy classification of near Kamchatka earthquakes. Volcanology and Seismology (English translation), **11**, 558-579.
- Lermo, J. F., Francisco, S., and Chavez-Garcia, J. (1992). Site effect evaluation using microtremors: a review (abstract), EOS, **73**, 352.
- Levine, J., and Hall, J. L. (1972). Design and operation of a methane absorption stabilized laser strainmeter. J. Geophys. Res., **77**, 2595 - 2609.
- Levret, A., Cushing, M., and Peyridieu, G. (1996). Etude des caractéristiques de séismes historique en France: Atlas de 140 cartes macroseismiques, IPSN, Fontenay-Aux-Roses.
- Lienert, B. R. E. (1991). Report on modifications made to Hypocenter. Institute of Solid Earth Physics, University of Bergen.
- Lienert, B. R. E. (1997). Assessment of earthquake location accuracy and confidence region estimate using known nuclear tests. Bull. Seism. Soc. Am., **87**, 5, 1150-1157.
- Lienert, B. R. E., Berg, E., and Frazer, L. N. (1988). HYPOCENTER: An earthquake location method using centered, scaled, and adaptively least squares. Bull. Seism. Soc. Am., **76**, 771-783.
- Lienert, B. R. E., and Havskov, J. (1995). A computer program for locating earthquakes both locally and globally. Seism. Res. Lett., **66**, 26-36.
- Lillie, R. J. (1999). Whole Earth Geophysics. Prentice-Hall Inc., New Jersey, ISBN 0-13 4990517-2, 361 pp.
- Linde, A. T., Gladwin, M. T., and Johnston, M. J. S. (1992). The Loma Prieta Earthquake, 1989 and the Earth strain tidal amplitudes: an unsuccessful search for associated changes. Geophys. Res. Lett., **19**, 317 - 320.
- Linde, A. T., Agustsson, K., Sacks, I. S., and Stefansson, R. (1993). Mechanism of the 1991 eruption of Hekla from continuous borehole strain monitoring. Nature, **365**, 737-740.
- Linde, A. T., Gladwin, M., Johnston, M. J. S., Gwyther, R. L., and Bilham, R. (1996). A slow earthquake sequence on the San Andreas fault. Nature, **383**, 65 - 68.
- Linehan, D. (1940). Earthquakes in the West Indian region. Trans. Am. Geophys. Union, **30**, 229-232.
- Liu, H.-P., Anderson, D. L., and Kanamori, H. (1976). Velocity dispersion due to anelasticity; implications for seismology and mantle composition. Geophys. J. R. astr. Soc., **47**, 41-45.
- Lognonné, P., and Clévéde, E. (2002). Normal modes of the Earth and planets. In: Lee et al. (2002), Part A, 125-147.

References

- Lomax, A., Virieux, J., Volant, P., and Berge, C. (2000). Probabilistic earthquake location in 3D and layered models: Introduction of a Metropolis-Gibbs method and comparison with linear locations. In: Thurber and Rabinowitz (2000), 101-134.
- Lomax, A., Zollo, A., Capuano, P., and Virieux, J. (2001). Precise, absolute earthquake locations under Somma-Vesuvius volcano using a new three-dimensional velocity model. *Geophys. J. Int.* **146**, 313-331.
- Lomnitz, C. (1997). Frequency response of a strainmeter. *Bull. Seism. Soc. Am.*, **87**, 1078 - 1080.
- Lorraine, J., Hwang, and Clayton, R. W. (1991). A station catalog of ISC arrivals: Seismic station histories and station residuals. Open-File Report 91-295, U.S. Geological Survey.
- Longuet-Higgins, M. D. (1950). A theory on the origin of microseisms. *Philos. Trans. R. Soc. Lond.*, **A 243**, 1-35.
- Luco, J. E., Anderson, J. G., and Georgevich, M. (1990). Soil-structure interaction effects on strong motion accelerograms recorded on instrument shelters. *Earth. Eng. & Struct. Dyn.*, **19**, p 119.
- Madariaga, R. (1976). Dynamics of an expanding circular fault. *Bull. Seism. Soc. Am.*, **66**, 639-666.
- Madariaga, R. (1983). Earthquake source theory: a review. In: *Earthquakes: Observation, Theory and Interpretation* (Ed. Kanamori, H., Boschi, E.). Proceedings of the International School of Physics "Enrico Fermi". North-Holland Publishing Comp., Amsterdam, New York, Oxford, 1-44.
- Malischewsky, P. (1987). *Surface waves and discontinuities*. Elsevier, Amsterdam, ISBN 0-444-98959-5, 229 pp.
- Manchee, E. B., and Weichert, D. H. (1968). Epicentral uncertainties and detection probabilities from the Yellowstone seismic array data. *Bull. Seism. Soc. Am.*, **58**, 1359-1377.
- Marquering, H., Dahlen, F. A., and Nolet, G. (1999). Three-dimensional sensitivity kernels for finite-frequency traveltimes: the banana-doughnut paradox. *Geophys. J. Int.*, **137**, 805-815.
- Marrett, R. (1994). Scaling of intraplate earthquake recurrence interval with fault length and implications for seismic hazard assessment. *Geophys. Res. Lett.*, **21**, 24, 2637-2640.
- Marshall, P. D., and Basham, P. W. (1973). Rayleigh wave magnitude scale M_S . *Pure and Appl. Geophys.*, **103**, 406-414.
- Martini, M. (1996). Chemical characters of the gaseous phase in different stages of volcanism: Precursors and volcanic activity. In: Scarpa and Tilling (1996), 199-219.
- Mason, D. B. (1996). Earthquake magnitude potential of the intermountain seismic belt, USA, from surface-parameter scaling of Late Quaternary faults. *Bull. Seism. Soc. Am.*, **86**, 5, 1487-1506.
- Mayeda, K. (1993). $M_b(LgCoda)$: A stable single station estimator of magnitude. *Bull. Seism. Soc. Am.*, **83**, 3, 851-861.
- McLaren, J. P., and Frohlich, C. (1985). Model calculations of regional network locations for earthquakes in subduction zones. *Bull. Seism. Soc. Am.*, **75**, 2, 397-413.
- McNutt, S. R. (1986). Observations and analysis of b-type earthquakes, explosions, and volcanic tremor at Pavlof volcano. Alaska. *Bull. Seism. Soc. Am.*, **76**, 153-175.
- McNutt, S. R. (1996). Seismic monitoring and eruption forecasting of volcanoes: a review of the state-of-the-art and case history. In: Scarpa Tilling (1996), 99-146.
- McNutt, S. R. (2000a). Volcanic seismicity. In: Sigurdsson H. (2000), 1015-1033.
- McNutt, S. R. (2000b). Seismic Monitoring. In: Sigurdsson (2000), 1095-1119.
- McNutt, S. R. (2002). Volcano seismology and monitoring for eruptions. In: Lee et al. (2002), Part A, 383-406.

- Medvedev, S. V. (1962). Engineering seismology (in Russian). Academy of Sciences, Inst. of Physics of the Earth, Publ. house for literature on Civil Engineering, Architecture and Building Materials, Moscow.
- Meier, T., Malischewsky, P. G., and Neunhöfer, H. (1997). Reflection and transmission of surface waves at a vertical discontinuity and imaging of lateral heterogeneity using reflected fundamental Rayleigh waves. *Bull. Seism. Soc. Am.*, **87**, 1648-1661.
- Meissner, R., and Wever, Th. (1988). Lithosphere rheology: Continental versus oceanic unit. *J. Petrology*, Oxford University Press, Special Lithosphere Issue, 53-61.
- Melton, B. S. (1978). The sensitivity and dynamic range of inertial seismographs. *Rev. Geophys. Space Phys.*, **14**, 393-116
- Melton, B. S., and Kirkpatrick, B. M. (1970). The symmetric triaxial seismometer - its design for application in long-period seismometry, *Bull. Seism. Soc. Am.*, **60**, 3, 717-739.
- Mendez, A. J., and Anderson, J. G. (1991). The temporal and spatial evolution of the 19 September 1985 Michoacan earthquake as inferred from near-source ground-motion records. *Bull. Seism. Soc. Am.*, **81**, 3, 1655-1673.
- Michaelson, C. A. (1990). Coda duration magnitudes in central California: an empirical approach. *Bull. Seism. Soc. Am.*, **80**, 1190-1204.
- Mikumo, T., and Aki, K. (1964). Determination of local phase velocity by intercomparison of seismograms from strain and pendulum instruments. *J. Geophys. Res.*, **69**, 721-731.
- Miller, A. D., Stewart, R. C., White, R. A., Luckett, R., Baptie, B. J., Aspinall, W. P., Latchman, J. L., Lynch, L. L., and Voight, B. (1998). Seismicity associated with dome growth and collapse at the Soufriere Hills Volcano, Montserrat. *Geophys. Res. Lett.*, **25**, 3401-3404.
- Milne, J. (1888). The relative motion of neighbouring points of ground. *Trans. Seism. Soc. Jap.*, **12**, 63 - 66.
- Minakami, T. (1974). Seismology of volcanoes in Japan. In: Civetta et al. (Eds.). *Physical volcanology. Developments in solid earth geophysics*, **6**, Elsevier Amsterdam, 1 - 27.
- Mitronovas, W., and Wielandt, E. (1975). High-precision phase calibration of long-period electromagnetic seismographs. *Bull. Seism. Soc. Am.*, **65**, 2, 441-424.
- Mohnen, J.-U., and Schick, R. (1996). The spatial amplitude distribution of volcanic tremor at Stromboli volcano (Italy). *Ann. Geofisica*, **39**, 361-375.
- Mohorovičić, A. (1910). Potres od 8. X 1909. *God. Izvješće Zagr. met. Ops. Zag. 1909*, Zagreb (Das Beben vom 8. X 1909. *Jahrbuch des meteorologischen Observatoriums in Zagreb für das Jahr 1909*), **9**, Part 4, 1-63.
- Montagner, J.-P., and Kennett, B. L. N. (1996). How to reconcile body-wave and normal-mode reference Earth models?. *Geophys. J. Int.*, **125**, 229-248.
- Montalbetti, J. F., and Kanasewich, E. R. (1970). Enhancement of teleseismic body phases with a polarization filter. *Geophys. J. R. astr. Soc.*, **21**, 119-129.
- Mooney, W. D., Laske, G., and Masters, T. G. (1998), CRUST 5.1: a global crustal model at 5° x 5°, *J. Geophys. Res.*, **103**, 727-747.
- Morelli, A., and Dziewonski, A. M. (1993). Body wave traveltimes and a spherically symmetric P- and S-wave velocity model, *Geophys. J. Int.*, **112**, 178-194.
- Muco, B., and Minga, P. (1991). Magnitude determination of near earthquakes for the Albanian network. *Bolletino di Geofisica Teorica ed Applicata.*, **XXXIII**, 129, 17-24.
- Muirhead, K. J. (1968). Eliminating false alarms when detecting seismic events automatically. *Nature*, **217**, 553-554.
- Muirhead, K. J., and Ran Datt (1976). The N-th root process applied to seismic array data. *Geophys. J. R. astr. Soc.*, **47**, 197-210.
- Muir-Wood, R. (1993). From global seismotectonics to global seismic hazard. *Annali di Geofisica*, **36**, 3-4, 153-168.

References

- Müller, G. (1977). Earth flattening approximation for body waves derived from geometric ray theory - improvements, corrections and range of applicability. *J. Geophys.*, **44**, 429-436.
- Müller, G. (1985). The reflectivity method: A tutorial. *J. Geophys.*, **58**, 153-174.
- Murdock, J. N., and Hutt, C. R. (1983). A new event detector designed for the seismic research observatories. USGS, Open File Report 83-7851
- Murray, J. B., Rymer, H., and Locke, C. A., 2000. Ground deformation, gravity, and magnetics. In: Sigurdsson H. (2000), 1121-1140.
- Musson, R. M. W. (1996). Determination of parameters for historical British earthquakes, *Annali di Geofisica*, **39**, 5, 1041-1048.
- Mykkeltveit, S., Åstebøl, K., Doornbos, D. J., and Husebye, E. S. (1983). Seismic array configuration optimization. *Bull. Seism. Soc. Am.*, **73**, 173-186.
- Mykkeltveit, S., and Bungum, H. (1984). Processing of regional seismic events using data from small-aperture arrays. *Bull. Seism. Soc. Am.*, **74**, 2313-2333.
- Mykkeltveit, S., Fyen, J., Ringdal, F., and Kværna, T. (1988). Spatial characteristics of the NORESS noise field and implications for array detection processing. *Phys. Earth Planet. Inter.*, **63**, 277-283.
- Nabelek, J. L. (1984). Determination of earthquake source parameters from inversion of body waves, Phd thesis, MIT, Cambridge University, MA..
- Nakamura, Y. (1989). A method for dynamic characteristics estimation of subsurface using microtremor on the ground surface. *Q. Rep. Railway Tech. Res. Inst.*, **30**, 1.
- Neuberg J., Luckett, R., Ripepe, M., and Braun, T. (1994). Highlights from a seismic broad-band array on Stromboli volcano. *Geophys. Res. Lett.*, **21**, 749-752.
- Neuberg, J., and Pointer, T. (2000). Effects of volcano topography on seismic broad-band waveforms. *Geophys. J. Int.*, **143**, 239-248.
- Neuberg, J., Luckett, R., Baptie, B., and Olsen, K. (2000). Models of tremor and low-frequency earthquake swarms on Montserrat. *J. Volcanol. Geotherm. Res.*, **101**, 83-104.
- Neumann, W., Jacobs, F., and Tittel, B. (1989). Erdbeben (in German). B.G. Teubner Verlagsgesellschaft, 212 pp.
- Neunhöfer, H. (1985). Primary and secondary effects of surface wave propagation and their geophysical causes (in German). Veröff. Zentralinstitut Phys. Erde No. 85, AdW der DDR, Potsdam, 111 pp.
- Newhall, C. G., and Punongbayan, R. S. (Eds.) (1996). Fire and Mud: Eruptions and Lahars of Mount Pinatubo, Philippines: PHIVOLCS, Quezon City, and Univ. of Washington Press, Seattle, 1126 pp.
- Nishimura, T., Nakamichi, H., Tanaka, S., Sato, M., Kobayashi, T., Ueki, S., Hamaguchi, H., Ohtake, M., and Sato, H. (2000). Source process of very long period seismic events associated with the 1998 activity of Iwate Volcano, northeastern Japan. *J. Geophys. Res.*, **105**, 19135-19147.
- Nolet, G., Krueger, S., and Clouser, R. M. (1998). Empirical determination of depth-distance corrections for m_b and M_w from Global Seismograph Network stations. *Geophys. Res. Lett.*, **25**, 9, 1451-1454.
- Nowroozi, A. (1985). Empirical relations between magnitudes and fault parameters for earthquakes in Iran. *Bull. Seism. Soc. Am.*, **75**, 1327-1338.
- Nuttli, O. W. (1973). Seismic wave attenuation and magnitude relations for eastern North America. *J. Geophys. Res.*, **78**, 876-885.
- Nuttli, O. W. (1985). Average seismic source-parameter relations for plate-margin earthquakes. *Tectonophysics*, **118**, 161-174.
- Nuttli, O. W., and Zollweg, J. E. (1974). Relation between felt area and magnitude for central United States earthquakes. *Bull. Seism. Soc. Am.*, **64**, 1, 73-85.

- Ochozinskaya, M. V. (1974). Relationship between m_{PV} and M_{LH} depending on the source depth of earthquakes. In: Magnitude and energetic classification of earthquakes (II), (in Russian), Institut Fiziki Zemli, Akademii Nauk, Moskva, 203-207.
- Ødegaard, E., Doornbos, D. J., and Kväerna, T. (1990). Surface Topographic effects at arrays and three-component stations. *Bull. Seism. Soc. Am.*, **80**, 2214-2226.
- Ohnaka, M. (1978). Application of some dynamic properties of stick-slip to earthquakes. *Geophys. J. R. Astr. Soc.*, **53**, 311-318.
- Ohminato T., Chouet, B. A., Dawson, P., and Kedar, S. (1998). Waveform inversion of very long period impulsive signals associated with magmatic injection beneath Kilauea Volcano, Hawaii. *J. Geophys. Res.*, **103**, 23839-23862.
- Ohrnberger, M. (2001). Continuous automatic classification of seismic signals of volcanic origin at Mt. Merapi, Java, Indonesia. Dissertation, Institute of Geosciences, University of Potsdam, in English.
- Omori, F. (1911). The Usu-san eruption, earthquake and elevation, phenomena. *Bull. Imp. Earthq. Invest. Comm.*, **5**, 1-38.
- Omura, M., Otsuka, S., Fujimori, K., and Yamamoto, T. (2001). Tidal strains observed at a station crossing the Otsuki Fault, Kobe, Japan, before the 1995 Hyogoken-Nanbu earthquake. *J. Geodetic Soc. Japan*, **47**, 441 - 447.
- Oncescu, M. C. (1986). Relative seismic moment tensor determination for Vrancea intermediate depth earthquakes, *Pageoph*, **124**, 931-940.
- Okal, E. A. (1992a). Use of the mantle magnitude M_m for the reassessment of the moment of historical earthquakes. I: Shallow events. *Pageoph*, **139**, 1, 17-57.
- Okal, E. A. (1992b). Use of the mantle magnitude M_m for the reassessment of the moment of historical earthquakes. II: Intermediate and deep events. *Pageoph*, **139**, 1, 59-85.
- Okal, E. A., and Talandier, J. (1989). M_m : A variable-period mantle magnitude. *J. Geophys. Res.*, **94**, 4169-4193.
- Okal, E. A., and Talandier, J. (1990). M_m : Extension to Love waves of the concept of a variable-period mantle magnitude. *Pure and Appl. Geophys.*, **134**, 355-384.
- Omori, F. (1911). The Usu-san eruption, earthquake and elevation, phenomena. *Bull. Imp. Earthq. Invest. Comm.*, **5**, 1-38.
- Oppenheim, A. V., and Schaffer, R. V. (1975) *Digital signal processing*. Prentice Hall, New Jersey, USA.
- Oppenheim, A. V., and Willsky, A. S. (1983). *Signals and Systems*. Prentice Hall, New Jersey, USA.
- Ottmøller, L., and Havskov, J. (1999). SeisNet: A general purpose virtual seismic network. *Seism. Res. Lett.*, **70**, 5, 522-528.
- Panza, J. F., Duda, S. J., Cernobori, L., and Herak, M. (1989). Gutenberg's surface-wave magnitude calibrating function: theoretical basis from synthetic seismograms. *Tectonophysics*, **166**, 35-43.
- Parolai, S., Trojani, L., Monachesi, G., Frapiccini, M., Cattaneo, M., and Augliera, P. (2001). Hypocenter location accuracy and seismicity distribution in the Central Apennines (Italy). *J. Seism.*, **5**, 243-261.
- Patanè, D., and Ferrari, F. (1999). ASDP: a PC-based program using a multi-algorithm approach for automatic detection and location of local earthquakes. *Phys. Earth Planet. Int.*, **113**, 57-74.
- Pavlis, G. L. (1988). Vector and matrix manipulation, In: Doornbos (1988a), 403-426.
- Pavlis, G. L., and Vernon, F. L. (1994). Calibration of seismometers using ground noise. *Bull. Seism. Soc. Am.*, **84**, 4, 1243-1255.
- Payo, G. (1986). *Introducción al análisis de sismogramas*. Instituto Geográfico Nacional, Madrid, 125 pp.

References

- Pegeler, G., and Das, S. (1996). Analysis of the relationship between seismic moment and fault length for large crustal strike-slip earthquakes between 1977-92. *Geophys. Res. Lett.*, **23**, 905-908.
- Peters, D. C. and Crosson, R. S. (1972). Application of prediction analysis to hypocentre determination using local array. *Bull. Seism. Soc. Am.*, **62**, 3, 775-788.
- Peterson, J. (1993). Observations and modeling of seismic background noise. U.S. Geol. Survey Open-File Report **93-322**, 95 pp.
- Pinatubo Volcano Observatory Team (1991). *Eos Trans. Am. Geophys. Union*, **72**, 545, 552-553, 555.
- Plešinger, A. (1998). Determination of seismograph system transfer functions by inversion of transient and steady-state calibration responses. *Studia geoph. et geod.*, **42**, 472-499.
- Plešinger, A., Zmeškal, M., and Zednik, J. (1995). PREPROC - Software for automated preprocessing of digital data. Ver.2.1, Ed. Bergman, E., NEIC Golden/FI, Prague.
- Plešinger, A., Zmeškal, M., and Zednik, J. (1996). Automated preprocessing of digital seismograms: Principles and software. Version 2.2, Bergman, E. (Ed.), Prague & Golden.
- Pomeroy, P. W., and Oliver, J. (1960). Seismic waves from high altitudes nuclear explosions. *J. Geophys. Res.*, **65**, 10, 3445-3457.
- Power, J. A., Lahr, J. C., Page, R. A., Chouet B. A., Stephens C. D., Harlow, D. H., Murray, T. L., and Davies, J. N. (1994). Seismic evolution of the 1989-1990 eruption sequence of Redoubt volcano, Alaska. *J. Volcanol Geotherm. Res.*, **62**, 69-94.
- Proposal 1991-1995 to The National Science Foundation, (1990), IRIS Consortium
- Pujol, J. (2000). Joint event location – the JHD technique and applications to data from local networks. In: Thurber Rabinowitz(2000), 163-204.
- Purcaru, G., and Berckhemer, H. (1978). A magnitude scale for very large earthquakes. *Tectonophysics*, **49**, 189-198.
- Purcaru, G., and Berckhemer, H. (1982). Quantitative relations of seismic source parameters and a classification of earthquakes. *Tectonophysics*, **84**, 57-128.
- Quanterra, INC. FAQ Lett., June 1994.
- Qian, S., and Chen, D. (1996). Joint time-frequency analysis, Prentice Hall PTR, New Jersey, 302 pp.
- Rabinowitz, N., and Steinberg, D. M. (1990). Optimal configuration of a seismographic network: A statistical approach. *Bull. Seism. Soc. Am.*, **80**, 1, 187-196.
- Ranalli, G., and Murphy, D. C. (1987). Rheological stratification of the lithosphere. *Tectonophysics*, **132**, 281-295.
- Randall, M. J. (1973). The spectral theory of seismic sources. *Bull. Seism. Soc. Am.*, **63**, 1133-1144.
- Ratdomopurbo, A., and Poupinet, G. (1995). Monitoring a temporal change of seismic velocity in a volcano: application to the 1992 eruption of Mt. Merapi (Indonesia). *Geophys. Res. Lett.*, **22**, 775 - 778.
- Rautian, T. G. (1960). In: *Methods of the detailed study of seismicity (in Russian)*. Moscow, Izd. AN SSSR, **176**, 75-114.
- Rautian, T. G., Khalturin, V. I., and Zakirov, M. S. (1981). Experimental studies of seismic coda (in Russian). Nauka, Moscow, 144 pp.
- Rautian, T. G., Khalturin, V. I., Dotsev, N. T., and Sarkisyan, N. M. (1989). Macroseismic magnitude. In: *Voprosy inzheneroy seismologii*, iss. 30, 98-109.
- Real, C. R., and Teng, T. L. (1973). Local Richter magnitude and total signal duration in Southern California. *Bull. Seism. Soc. Am.*, **63**, 1809.
- Reasenber, P. A., and Oppenheimer, D. (1985). FPFIT, FPLOT and FPPAGE: Fortran computer programs for calculating and displaying earthquake fault-plane solutions. U.S. Geological Survey Open-File Report 85-739, 109 pp.

- Rebscher, D., Westerhaus, M., Welle, W., and Nandaka, G. M. (2000). Monitoring ground deformation at the Decade Volcano Gunung Merapi, Indonesia. *Phys. Chem. Earth*, **25**, 755-757.
- Reches, Z. (1987). Determination of the tectonic stress tensor from slip along faults that obey the Coulomb yield condition. *Tectonics*, **6**, 849-861.
- Reinhardt, H. G. (1977). Regionale Geschwindigkeitsansätze der DDR. Report of the VEB Geophysik Leipzig.
- Rezapour, M., and Pearce, R. G. (1998). Bias in surface-wave magnitude M_S due to inadequate distance corrections. *Bull. Seism. Soc. Am.*, **88**, 1, 43-61.
- Rice, J. R. (1980). The mechanics of earthquake rupture. In: *Physics of the Earth's interior* (Ed. Dziewonski A. A., Boschi, E.). North Holl. Publ. Co., Amsterdam, 555-649.
- Richards, P. G. (2000). Accurate estimates of the absolute location of underground nuclear tests at the northern Novaya Zemlya Test Site, Proceedings of Second Workshop on IMS Location Calibration, 10-24 March 2000, Oslo, Norway.
- Richards, P. G. (2002). Seismological methods of monitoring compliance with the Comprehensive Nuclear Test-Ban Treaty. In: Lee et al. (2002), Part A, 369-382.
- Richter, C. F. (1935). An instrumental earthquake magnitude scale. *Bull. Seism. Soc. Am.*, **25**, 1-32.
- Richter, C. F. (1958). *Elementary seismology*. W. H. Freeman and Company, San Francisco and London, viii + 768 pp.
- Riedesel, M. A., Moore, R. D., and Orcutt, J. A. (1990). Limits of sensitivity of inertial seismometers with velocity transducers and electronic amplifiers, *Bull. Seism. Soc. Am*, **80**, 6, 1725 - 1752.
- Rietbrock, A., and Scherbaum, F. (1998). The GIANT analysis system (Graphical Interactive Aftershock Network Toolbox). *Seism. Res. Lett.*, **69**, 1, 40-45.
- Ringdal, F. (1976). Maximum-likelihood estimation of seismic magnitude, *Bull. Seism. Soc. Am.*, **66**, 789 - 802, 1976.
- Ringdal, F., and Kennett, B. L. N (Eds.) (2001). Special issue: Monitoring the Comprehensive Nuclear-Test-Ban Treaty: Source location. *Pure appl. Geophys.*, **158**, Number 1/2, 1-419.
- Riznichenko, Yu. V. (1960). About the magnitude of underground nuclear explosions (in Russian). *Trudy Inst. Fiziki Zemli*, **182**, 15, 53-87.
- Riznichenko, Yu. V. (1992). *Problems of seismology*. Mir and Springer Publishers, Moscow and Berlin-Heidelberg-New York, 445 pp. (English translation of the original Russian publication of 1985).
- Rivera, L. (1989). Inversion du tenseur des contraintes et des mécanismes au foyer à partir des données de polarité pour une population de séismes. Thèse de doctorat, Université Louis.Pasteur de Stasbourg.
- Roberts, R. G., Christofferson, A., and Cassidy, F. (1989). Real time event detection, phase identification and source location using single station 3 component seismic data and a small PC. *Geophys. J.*, **97**, 471-480.
- Roberts, R. G., and Christoffersson, A. (1990). Decomposition of complex single-station three-component seismograms. *Geophys. J. Int.*, **103**, 55-74.
- Rodgers, P. W. (1968). The response of the horizontal pendulum seismometer to Rayleigh and Love waves, tilt, and free oscillations of the Earth. *Bull. Seism. Soc. Am.*, **58**, 1384-1406.
- Rodgers, P. W. (1969). A note on the response of the pendulum seismometer to plane wave rotation. *Bull. Seism. Soc. Am.*, **59**, 2101-2102.
- Rodgers, P. W. (1992). Frequency limits for seismometers as determined from signal-to-noise ratios. Part 1: The electromagnetic seismometer. *Bull. Seism. Soc. Am.*, **82**, 1071-1098.

References

- Rodgers, P. W. (1993). Maximizing the signal-to-noise ratio of the electromagnetic seismometer: The optimum coil resistance, amplifier characteristics, and circuit. *Bull. Seism. Soc. Am.*, **83**, 2, 561-582.
- Rodgers, P. W. (1994). Self-noise spectra for 34 common electromagnetic seismometer/pre-amplifier pairs. *Bull. Seism. Soc. Am.*, **84**, 1, 222-229.
- Rodgers, P. W., Martin, A. J., Robertson, M. C., Hsu, M. M., and Harris, D. B. (1995). Signal-coil calibration of electromagnetic seismometers, *Bull. Seism. Soc. Am.*, **85**, 3, 845-850.
- Rogers, J. A., and Stephens, C. D. (1991). SSAM: a PC-based seismic spectral amplitude measurement system for volcano monitoring. *Seism. Res. Lett.*, **62**, 22.
- Romanowicz, B. (1992). Strike-slip earthquakes on quasi-vertical transcurrent faults: inferences for general scaling relations. *Geophys. Res. Lett.*, **19**, 481-484.
- Romanowicz, B. (1994). *Comment and Reply*: Comment on "A reappraisal of large earthquake scaling" by C. Scholz. *Bull. Seism. Soc. Am.*, **84**, 5, 1675-1676.
- Romanowicz, B., and Rundle, J. B. (1993). On scaling relations for large earthquakes. *Bull. Seism. Soc. Am.*, **83**, 1294-1297.
- Romanowicz, B., and Rundle, J. B. (1994). Reply to comment on "On scaling relations for large earthquakes by Romanowicz and Rundle" from the perspective of a recent non-linear diffusion equation linking short-time deformation to long-time tectonics. *Bull. Seism. Soc. Am.*, **84**, 5, 1684.
- Rost, S., and Thomas, C. (2002). Array Seismology: Methods and applications. *Rev. Geophys.*, **40** (3), 1008, doi: 10.1029/20000RG000100.
- Rubin, A. M., Gillard, D., and Got, J.-L. (1998). A reinterpretation of seismicity associated with the January 1983 dike intrusion at Kilauea volcano, Hawaii. *J. Geophys. Res.*, **103**, 10003-10015.
- Ruud, B. O., Husebye, E. S., Ingate, S. F., and Christoffersson, A. (1988). Event location at any distance using seismic data from a single, three-component station. *Bull. Seism. Soc. Am.*, **78**, 308-325.
- Ružek, B., and Kvasnička, M. (2001). Differential evolution algorithm in earthquake hypocenter location. *Pure appl. geophys.*, **158**, 667-693.
- Saari, J. (1991). Automated phase picker and source location algorithm for local distances using a single three-component seismic station. *Tectonophysics*, **189**, 307-315.
- Saccorotti, G., Chouet, B., Martini, M., and Scarpa, R. (1998). Bayesian statistics applied to the location of the source of explosions at Stromboli volcano, Italy. *Bull. Seism. Soc. Am.*, **88**, 1099-1111.
- Sacks, I. S., Suyehiro, S., Evertson, D. W., and Yamagishi, Y. (1971). Sacks-Evertson strain-meter, its installation in Japan and some preliminary results concerning strain steps. *papers in meteorology and geophysics*, **22**, 195 - 208.
- Sacks, I. S., Snoke, J. A., Evans, R., King, G., and Beavan, J. (1976). Single-site phase velocity measurement. *Geophys. J. R. astr. Soc.*, **46**, 253 - 258.
- Sadovsky, M. A., Kedrov, O. K., and Pasechnik, I. P. (1986). On the question of energetic classification of earthquakes (in Russian). *Fizika Zemli, Moscow*, 2, 3-10.
- Sambridge, M. S., and Kennett, B. L. N. (1986). A novel method of hypocentre location. *Geophys. J. R. astr. Soc.*, **87**, 679-697.
- Sambridge, M. S., and Kennett, B. L. N. (2001). Seismic event location: nonlinear inversion using a neighbourhood algorithm. *Pure appl. Geophys.*, **158**, 241-257.
- Sandmeier, K.-J., (1990). Untersuchung der Ausbreitungseigenschaften seismischer Wellen in geschichteten und streuenden Medien. PhD Thesis, University of Karlsruhe
- Saraó, A., Panza, G. F., Privitera, E., and Cocina, O. (2001). Non-double-couple mechanisms in the seismicity preceding the 1991-1993 Etna volcano eruption. *Geophys. J. Int.*, **145**, 319-335.

- Sarconi, M. (1784). *Istoria dei fenomeni del tremoto avvenuto nelle Calabrie, e nel Valdemone nell'anno 1783*, Luce dalla Reale Accademia della Scienze, e delle Belle Lettere di Napoli, Naples.
- Sassa, K. (1936). Micro-seismometric study on eruptions of the volcano Aso. *Mem. Coll. Sci. Kyoto Imp. Univ., Ser. A* 19, 11-56.
- Savage, M. K., and Anderson, J. G. (1995). A local-magnitude scale for the Western Great Basin-Eastern Sierra Nevada from Wood-Anderson seismograms. *Bull. Seism. Soc. Am.*, **85**, 4, 1236-1243.
- Scarpa, R., and Tilling, R. (1996). *Monitoring and Mitigation of Volcano Hazards*. Springer, Berlin Heidelberg New York, 841 pp.
- Scherbaum, F., and Johnson, J. (1992). Programmable Interactive Toolbox for Seismological Analysis (PITSA). IASPEI Software Library Volume 5, Seismological Society of America, El Cerrito.
- Scherbaum, F. (1996). *Of poles and zeros; Fundamentals of Digital Seismometry*, Kluwer Academic Publisher, Boston, 256 pp.
- Scherbaum, F. (1997). Zero phase digital anti-alias filters: Problems and cures (http://butler.geo.uni-potsdam.de/FIR/fir_daaf.htm), Version 1.0.
- Scherbaum, F. (2001). *Of poles and zeros: Fundamentals of digital seismology. Modern Approaches in Geophysics* Kluwer Academic Publishers, 2nd edition, 265 pp. (including an CD-ROM by Schmidtke, E., and Scherbaum, F. with examples written in Java).
- Scherbaum, F. (2002). Analysis of digital earthquake signals. In: Lee et al. (2002), Part A, 349-355.
- Schick, R. (1988). Volcanic tremor - source mechanisms and correlation with eruptive activity. *Natural Hazards*, **1**, 2, 125-144.
- Schick, R. (1991). Volcanic activity parameters, in: *Volcanic tremor and magma flow. Scientific Series of the International Bureau*, **4**., 183-188.
- Schimmel, M., and Paulssen, H. (1997). Noise reduction and detection of weak, coherent signals through phase-weighted stacks. *Geophys. J. Int.*, **130**, 497-505.
- Schlindwein, V., Wassermann, J., and Scherbaum, F. (1995). Spectral Analysis of Harmonic Tremor Signals at Mt. Semeru Volcano, Indonesia. *Geophys. Res. Lett.*, **22**, 1685-1688.
- Schlittenhardt, J. (1996). Array analysis of core-phase caustic signals from underground nuclear explosions: Discrimination of closely spaced explosions. *Bull. Seism. Soc. Am.*, **86**, 1A, 159-171.
- Schmidtke, E., and Scherbaum, F. (2001). *Digital Seismology Tutor*. CD-ROM program package accompanying Scherbaum (2001).
- Schöffel, H.-J. and Das, S. (1999). Fine details of the Wadati-Benioff zone under Indonesia and its geodynamic implications. *J. Geophys. Res.*, **104**, 13101-13114.
- Scholz, C. H. (1982). Scaling laws for large earthquakes: consequences for physical models. *Bull. Seism. Soc. Am.*, **72**, 1-14.
- Scholz, C. H. (1990). *The mechanics of earthquakes and faulting*. Cambridge University Press, Cambridge, 439 pp.
- Scholz, C. H. (1994). Reply to comment on "A reappraisal of large earthquake scaling" by C. Scholz. *Bull. Seism. Soc. Am.*, **84**, 5, 1677-1678.
- Scholz, C. H. (1997). Size distributions for large and small earthquakes. *Bull. Seism. Soc. Am.*, **87**, 4, 1074-1077.
- Scholz, C. H., Aviles, C. A., and Wesnousky, S. G. (1986). Scaling differences between large interplate and intraplate earthquakes. *Bull. Seism. Soc. Am.*, **76**, 1, 65-70.
- Schuessler, H. W. (1981). A signal processing approach to simulation, *Frequenz*, **35**, 174-184.
- Schwartz, S. Y., Dewey, J. W., and Lay, T. (1989). Influence of fault plane heterogeneity on the seismic behavior in southern Kurile Islands arc. *J. Geophys. Res.*, **94**, 5637-5649.

References

- Schweitzer, J. (1997): HYPOSAT – a new routine to locate seismic events, NORSAR Scientific Report **1-97/98**, 94-102, NORSAR, Kjeller, Norway, November 1997.
- Schweitzer, J. (1998). Tuning the automatic data processing for the Spitsbergen array (SPITS). In: NORSAR Semiannual Technical Summary 1 April – 30 September 1998, NORSAR Scientific Report **1-98/99**, Kjeller, Norway, 110-125.
- Schweitzer, J. (2001a). HYPOSAT – An enhanced routine to locate seismic events. *Pure and Appl. Geophys.*, **158**, 277-289.
- Schweitzer, J. (2001b). Slowness corrections – one way to improve IDC products. *Pure Appl. Geophys.*, **158**, 375-396.
- Schweitzer, J., and Kværna, T. (1999). Influence of source radiation pattern on globally observed short-period magnitude estimates (m_b). *Bull. Seism. Soc. Amer.*, **89**, 342-347.
- Scrase, F. J. (1931). The reflected waves from deep focus earthquakes. *Proc. Roy. Soc. Of London A*-**132**, 213-235.
- Seidl, D. (1980). The simulation problem for broad-band seismograms. *J. Geophys.*, **48**, 84-93.
- Seidl, D., Schick, R., and Riuscetti, M. (1981). Volcanic tremors at Etna: a model for hydraulic origin. *Bull. Volcanol.*, **44**, 43-56.
- Seidl, D., and Berckhemer, H. (1982). Determination of source moment and radiated seismic energy from broadband recordings. *Phys. Earth Planet. Inter.*, **30**, 209-213.
- Seidl, D., and Stammer, W. (1984). Restoration of broad-band seismograms (part I). *J. Geophys.*, **54**, 114-122.
- Seidl, D., and Hellweg, M. (1988). Restoration of broad-band seismograms (part II): Signal moment determination. *J. Geophysics*, **62**, 158-162.
- Seidl, D., and Hellweg, M. (1991). Volcanic tremor recordings: polarization analysis. In: *Volcanic tremor and magma flow. Scientific Series of the International Bureau*, **4**, 31-46.
- Senatskommission für Geowissenschaftliche Gemeinschaftsforschung (Ed.) (2002). *Ten Years of German Regional Seismic Network (GRSN)*. Deutsche Forschungsgemeinschaft, Mitteilung No. 25, Wiley-VCH Verlag Weinheim.
- Shannon, C. E. (1949). Communication in presence of noise, *Proceedings of the IRE*.
- Shaw, H. R., and Chouet, B. A. (1991). Fractal hierarchies of magma transport in Hawaii and critical self-organization of tremor. *J. Geophys. Res.*, **96**, 10191-10207.
- Shearer, P. M. (1999). *Introduction to seismology*. Cambridge University Press, 260 pp.
- Sheriff, R. E., and Geldart, L. P. (1995). *Exploration seismology*. Cambridge University Press, Second Edition, 592 pp.
- Shimozuru, D. (1972). A seismological approach to the prediction of volcanic eruptions. In: *The surveillance and prediction of volcanic activity. UNESCO Earth Sci. Monograph*, **8**, 19-45.
- Shimshoni, M., and Smith, S. W. (1964). Seismic signal enhancement with three-component detectors. *Geophysics*, **29**, 5, 664-671.
- Sieberg, A. (1912). Über die makroseismische Bestimmung der Erdbebenstärke, *Gerl. Beitr. Geophys.*, **11**, 227-239.
- Sieberg, A. (1923). *Geologische, physikalische und angewandte Erdbebenkunde*. Verlag von Gustav Fischer, Jena, 572 pp.
- Sieberg, A. (1932). *Geologie der Erdbeben*. Handbuch der Geophysik, Gebr. Bornträger, Berlin, Vol 2 pt 4, 550-555.
- Sigurdsson, H. (Ed. in Chief) (2000). *Encyclopedia of Volcanoes*. Academic Press, San Diego London Sydney Tokyo, 1417 pp.
- Šilený, J., Panza, G. F., and Campus, P. (1992). Waveform inversion for point source moment retrieval with variable hypocentral depth and structural model. *Geophys. J. Int.*, **109**, 259-274.

- Šilený, J., and Pšenčík, I. (1995). Mechanisms of local earthquakes in 3-D inhomogeneous media determined by waveform inversion. *Geophys. J. Int.*, **121**, 459-474.
- Šilený, J., Campus, P., and Panza, G. F. (1996). Seismic moment tensor resolution by waveform inversion of a few local noisy records - I. Synthetic tests. *Geophys. J. Int.*, **126**, 605-619.
- Simon, R. B. (1981). *Earthquake interpretations: A manual of reading seismograms*. William Kaufmann, Inc., Los Alto, CA, 150 pp.
- Sipkin, S. A. (1982). Estimation of earthquake source parameters by the inversion of waveform data: synthetic waveforms. *Physics of the Earth and Planetary Interiors*, **30**, 242-259.
- Smith, G. P., and Ekström, G. (1996). Improving teleseismic event locations using a three-dimensional Earth model. *Bull. Seism. Soc. Am.*, **86**, 3, 788-796.
- Snoke, J. A., Munsey, J. W., Teague, A. G., and Bollinger, G. A. (1984). A program for focal mechanism determination by combined use of polarity and SV-P amplitude data. *Earthquake Notes*, **55**, 3, p. 15.
- Sohon, F. W. (1932). *Seismometry. Part II of Macelwane, J.B., and F.W. Sohon: Introduction to theoretical seismology*, New York 1932, 9+149 pp.
- Soloviev, S. L. (1955). Classification of earthquakes in order of energy (in Russian). *Trudy Geofiz. Inst. AN SSSR*, **39**, 157, 3-31.
- Somers, H., and Manchee, E. B. (1966). Selectivity of the Yellowknife seismic array. *Geophys. J. R. astr. Soc.*, **10**, 401-412.
- Sommerfeld, A. (1970). *Mechanik der deformierbaren Medien*. 6. Auflage, Akademische Verlagsgesellschaft Geest & Portig K.-G., Leipzig.
- Sornette, D., and Sornette, A. (1994). Comment on "On scaling relations for large earthquakes by Romanowicz and Rundle" from the perspective of a recent non-linear diffusion equation linking short-time deformation to long-time tectonics. *Bull. Seism. Soc. Am.*, **84**, 5, 1679-1683.
- Spallarossa, D., Ferretti, G., Augliera, P., Bindi, D., and Cattaneo, M. (2001). Reliability of earthquake location procedures in heterogeneous areas: synthetic tests in the South Western Alps, Italy. *Phys. Earth Planet. Int.*, **123**, 247-266.
- Spence, W. (1977). Measuring the size of an earthquake. *Earthquake Information Bulletin*, **9**, 4, 21-23.
- Sponheuer, W. (1960). *Methoden zur Herdtiefenbestimmung in der Makroseismik*, Freiburger Forschungshefte C88, Akademie Verlag, Berlin.
- Sponheuer, W., and Karnik, V. (1964). Neue seismische Skala, In: Sponheuer, W., (Ed.), *Proc. 7th Symposium of the ESC, Jena, 24-30 Sept. 1962*, Veröff. Inst. f. Bodendyn. u. Erdbebenforsch. Jena d. Deutschen Akad. d. Wiss., No 77, 69-76.
- Spudich, P., and Bostwick, T. (1987). Studies of the seismic coda using an earthquake cluster as deeply buried seismograph array. *J. Geophys. Res.*, **92**, 10526-10546.
- Stange, S. (2001). ML determination for local and regional events with a sparse network in Southwestern Germany. *J. Seism.* (submitted).
- Steichschulte, V. C. (1932). The Japanese earthquake of March 29, 1928. *Bull. Seism. Soc. Am.*, **22**, 81-137.
- Steim, J. M. (1986). *The very-broad-band seismograph*. Doctoral thesis, Department of Geological Sciences, Harvard University, Cambridge, Massachusetts. 184 pp.
- Stein, S. (1991). *Introduction to seismology, earthquakes and Earth structure*. Lecture notes, Department of Geological sciences, Northwestern University, USA.
- Steinberg, D. M., Rabinowitz, N., Shimshoni, Y., and Mizrachi, D. (1995). Configuring a seismograph network for optimal monitoring of fault lines and multiple sources. *Bull. Seism. Soc. Am.*, **85**, 6, 1847-1857.

References

- Stix, J., and Gaonac'h, H. (2000). Gas, plume, and thermal monitoring. In: Sigurdsson (2000), 1141-1163.
- Street, R. L. (1976). Scaling northeastern United States/southeastern Canadian earthquakes by their Lg waves. *Bull. Seism. Soc. Am.*, **66**, 1525-1537.
- stuadmin@geophys.uni-stuttgart.de, 1998. Station STU: a picture tour to the seismometer. <http://www.geophys.uni-stuttgart.de>.
- Sultanov, D. D., Murphy, J. R., and Rubinstein, Kh. D. (1999). A seismic source summary for Soviet Peaceful Nuclear Explosions. *Bull. Seism. Soc. Am.*, **89**, 3, 640-647.
- Sykes, L. R. (1966). The seismicity and the deep structure of island arcs. *J. Geophys. Res.*, **27**, 2981-3006.
- Tabulevich, V. (1992). *Microseismic and infrasound waves*. Springer-Verlag Berlin, 150 pp.
- Thomson, S. T. (1950). Transmission of elastic waves through a stratified solid medium. *J. Appl. Phys.*, **21**, 89-93.
- Thurber, C. H., Quin, H. R., and Richards, P. G. (1993). Accurate locations of nuclear explosions in Balapan, Kazakhstan, 1987 to 1989. *Geophys. Res. Lett.*, **20**, 399-402.
- Thurber, C. H., and Rabinovitz, N. (Eds.) (2000). *Advances in seismic event location*. Kluwer Academic Publishers, 266 pp.
- Thurber, C. H., and Engdahl, E. R. (2000). Advances in global seismic event location. In: in Thurber and Rabinowitz (2000), 3-22.
- Thurber, C. H., and Kissling, E. (2000). Advances in travel-time calculations for three-dimensional structures. In: Thurber and Rabinowitz (2000), 71-100.
- Tibi, R., Estabrook, C. H., and Bock, G. (1999). The 1996 June 17 Flores Sea and 1994 March 9 Fiji-Tonga earthquakes: Source processes and deep earthquake mechanisms, *Geophys. J. Int.*, **138**, 625-642.
- Tibi, R., Bock, G., Xia, Y., Baumbach, M., Grosser, H., Milkereit, C., Karakisa, S., Zünbül, S., Kind, R., and Zschau, J. (2001). Rupture processes of the 1999 August 17 Izmit, and November 12 Düzce (Turkey) earthquakes. *Geophys. J. Int.*, **144**, F1-F7.
- Tilling, R., Heliker, C., and Wright, T. L. (1987). *Eruptions of Hawaiian volcanoes: Past, present, and future*. U.S. Geol. Surv. General-Interest Publication Series, 54 pp.
- Tinti, S., Vittori, T., and Mulargia, F. (1987). On the macroseismic magnitudes of the largest Italian earthquakes. *Tectonophysics*, **138**, 159-178.
- Tittel, B. (1977). Zur Bestimmung von Erdbebenmagnituden aus longitudinalen Kernwellen. *Gerl. Beitr. Geophys.*, **86**, 79-85.
- Teupser, Ch. (1962). Die Eichung und Prüfung von elektromagnetischen Seismographen, *Freiberger Forschungshefte C130*, 103 pp.
- Texas Instruments (1998). *Oversampling techniques using the TMS320C24x Family*. 1-6, Literature Number: SPRA461.
- Tietze, U., and Schenk, Ch. (1990). *Halbleiter-Schaltungstechnik Neunte, neu bearbeitete und erweiterte Auflage*. Springer-Verlag Berlin Heidelberg NewYork London Paris Tokyo Barcelona, 771 pp.
- Tocher, D. (1958). Earthquake energy and ground breakage. *Bull. Seism. Soc. Am.*, **48**, 147-153.
- Topozada, T. R. (1975). Earthquake magnitude as a function of intensity data in California and Western Nevada. *Bull. Seism. Soc. Am.*, **65**, 5, 1223-1238.
- Trifunac, M. D., and Brady, A. G. (1975). On the correlation of seismic intensity scales with the peaks of recorded strong motion, *Bull. Seism. Soc. Am.*, **65**, 139-162.
- Trifunac, M. C. (1990). M_L^{SM} . Computational Mechanics Publications, 17-25.
- Trnkoczy, A. (1998). *Guidelines for civil engineering works at remote seismic stations*. Application Note 42, Kinometrics Inc., 222 Vista Av., Pasadena, Ca. 91107.

- Trnkoczy, A., and Živčić, M. (1992). Design of Local Seismic Network for Nuclear Power Plant Krsko, Cahiers du Centre Europeen de Geodynamique et de Seismologie, Luxembourg, **5**, 31-41.
- Tronrud, L. B. (Ed.)(1983a). Semiannual Technical Summary 1 October 1982 – 31 March 1983. NORSAR Scientific Report No. 1-82/83, 72 pp.
- Tronrud, L. B. (Ed.)(1983b). Semiannual Technical Summary 1 April 1983 - 30 September 1983. NORSAR Scientific Report No. 2-82/83, 88 pp.
- Tsuboi, C. (1954). Determination of the Gutenberg-Richter's magnitude of earthquakes occurring in and near Japan. Zisin. (J. Seism. Soc. Japan), Ser. II, **7**, 185-193.
- Tsuboi, S., Abe, K., Takano, K., and Yamanaka, Y. (1995). Rapid determination of M_w from broadband P waveforms. Bull. Seism. Soc. Am., **85**, 2, 606-613.
- Tsumura, K. (1967). Determination of earthquake magnitude from total duration of oscillation. Bull. Earthq. Res. Inst., Tokyo, **45**, 7-18.
- Tumarkin, A. G., Archuleta, R. J., and Madariaga, R. (1994). Scaling relations for composite earthquake models. Bull. Seism. Soc. Am., **84**, 4, 1279-1283.
- Udías, A. (1999). Principles of Seismology. Cambridge University Press, United Kingdom, 475 pp.
- Udías, A., and Buforn, E. (1988). Single and joint fault-plane solutions from first-motion data. In: Doornbos (1988a).
- Uhira, K., Yamasato, H., and Takeo, M. (1994). Source mechanism of seismic waves excited by pyroclastic flows at Unzen volcano, Japan. J. Geophys. Res., **99**, 17757-17773.
- Uhrhammer, R. A. (1980). Analysis of small seismographic station networks. Bull. Seism. Soc. Am., **70**, 1369-1379.
- Uhrhammer, R. A., and Collins, E. R. (1990). Synthesis of Wood-Anderson seismograms from broadband digital records. Bull. Seism. Soc. Am., **80**, 702-716.
- Uhrhammer, R. A., Loper, S. J., and Romanovicz, B. (1996). Determination of local magnitude using BDSN broadband records. Bull. Seism. Soc. Am., **86**, 1314-1330.
- Uhrhammer, R. A., Karavas, W., and Romanovicz, B. (1998). Broadband Seismic Station Installation Guidelines, Seism. Res. Lett., **69**, 15-26.
- UK AWE (1990). U.K. Atomic Weapons Establishment AWE Report No. O 12/90 (Semipalatinsk).
- UK AWE (1993). U.K. Atomic Weapons Establishment AWE Report No. O 11/93 (France).
- Utsu, T. (1982). Relationships between magnitude scales. Bull. Earthq. Res. Inst., **57**, 465-497.
- van der Kulk, W., Rosen, F., and Lorenz, S. (1965). Large aperture array signal processing study. IBM Final Report, ARPA Contract SD-296, Rockville.
- Vassiliou, M. S., and Kanamori, H. (1982). The energy release in earthquakes. Bull. Seism. Soc. Am., **72**, 371-387.
- Veith, K. F. (1977). A digital event detector. EOS, **58**, 1190
- Veith, K. F. (2001). Magnitude estimation from short-period body waves. Paper circulated on Oct. 9, 2002, amongst the members of the IASPEI WG on Magnitude Measurements, 7 pp.
- Veith, K. F., and Clawson, G. E. (1972). Magnitude from short-period P-wave data. Bull. Seism. Soc. Am., **62**, 435-452.
- Vergnolle, S., and Jaupart, C. (1990). Dynamics of degassing at Kilauea Volcano, Hawaii. J. Geophys. Res., **95**, 2793-2809.
- Vidale, J. E. (1986). Complex polarization analysis of particle motion. Bull. Seism. Soc. Am., **76**, 1393-1405.
- Voight, B., Hoblitt, R. P., Clarke, A. B., Lockhart, A. B., Miller, A. D., Lynch, L., and McMahon, J. (1998). Remarkable cyclic ground deformation monitored in real time on Montserrat and its use in eruption forecasting. Geophys. Res. Lett., **25**, 3405.

References

- Voight, B., Young, K. D., and Hidayat, D. (2000). Deformation and seismic precursors to dome-collapse and fountain-collapse nuées ardentes at Merapi volcano, Java, Indonesia. 1994-1998. *J. Volcanol. Geotherm. Res.*, **100**, 261-287.
- von Seggern, D. (1977). Amplitude-distance relation for 20-second Rayleigh waves. *Bull. Seism. Soc. Am.*, **67**, 405-411.
- Wadati, K. (1933). On the travel time of earthquake waves. Part. II, *Geophys. Mag. (Tokyo)* **7**, 101-111.
- Wahlström, R., and Strauch, W. (1984). A regional magnitude scale for Central Europe based on crustal wave attenuation. *Seismological Dep. Univ. of Uppsala, Report No. 3-84*, 16 pp.
- Walck, M. C., and Chael, E. P. (1991). Optimal backazimuth estimation for three-component recordings of regional seismic events. *Bull. Seism. Soc. Am.*, **81**, 2, 643-666.
- Wald, D. J., Quitoriano, V., Dengler, L. A., and Dewey, J. W. (1999). Utilisation of the Internet for rapid community intensity maps, *Seism. Res. Let.*, **70**, 680-697.
- Waldhauser, F., and Ellsworth, W. L. (2000). A double-difference earthquake location algorithm: method and application to the northern Hayward fault, California, *Bull. Seism. Soc. Am.*, **90**, 1353-1368.
- Wallace, T. C., Velasco, A., Zhang, J., and Lay, T. (1991). A broadband seismological investigation of the 1989 Loma Prieta, California, earthquake: Evidence for deep slow slip? *Bull. Seism. Soc. Am.*, **81**, 1622-1646.
- Wang, J.-H., and Ou, S.-S. (1998). On scaling earthquake faults. *Bull. Seism. Soc. Am.*, **88**, 3, 758-766.
- Wang, R. (1999). A simple orthonormalization method for stable and efficient computation of Green's functions. *Bull. Seism. Soc. Am.*, **89**, 3, 733-741.
- Warburton, R. J., and Goodkind, J. M. (1977). The influence of barometric pressure variations on gravity *Geophys. J. R. astr. Soc.* **48**, 281-292.
- Ward, P. L. (1992). SUDS. The Seismic Unified Data System. *EOS, Trans. Amer. Geophys. Un.*, **73**, 35, 380 pp.
- Wassermann, J. (1997). Locating the Sources of Volcanic Explosions and Volcanic Tremor at Stromboli Volcano (Italy) Using Beam-Forming on Diffraction Hyperboloids. *Phys. Earth Planet. Int.*, **10**, 271 - 281.
- Wassermann, J., and Ohrnberger, M. (2001). Automatic hypocenter determination of volcano induced seismic transients based on wave field coherence - an application to the 1998 eruption of Mt. Merapi, Indonesia. *J. Volcanol. Geotherm. Res.*, **110**, 57-77.
- Webb, S. C. (2002). Seismic noise on land and on the seafloor. In: Lee et al. (2002), Part A, 305-318.
- Wegler, U., and Lühr, B.-G. (2001). Scattering behaviour at Merapi volcano (Java) revealed from an active seismic experiment. *Geophys. J. Int.*, **145**, 579-592.
- Weichert, D. H. (1971). Short-period spectral discriminant for earthquake and explosion differentiation. *Z. Geophys.*, **37**, 147-152.
- Weichert, D. H., Manchee, E. B., and Whitham, K. (1967). Digital experiments at twice real-time speed on the capabilities of the Yellowstone Seismic Array. *Geophys. J. R. astr. Soc.*, **13**, 277-295.
- Wells, D. L., and Coppersmith, K. J. (1994). New empirical relationships among magnitude, rupture length, rupture width, rupture area, and surface displacement. *Bull. Seism. Soc. Am.*, **84**, 4, 974-1002.
- Westerhaus, M., and Zschau, J. (2001). No clear evidence for temporal variations of tidal tilt prior to the 1999 Izmit and Düzce earthquakes in NW-Anatolia. *J. Geodetic Soc. Japan*, **47**, 448 - 455.
- Wever, Th., Trappe, H., and Meissner, R. (1987). Possible relations between crustal reflectivity, crustal age, heat flow, and viscosity of the continents. *Annales Geophysicae*, **87**, 03 B, 255-266.

- Whiteway, F. E. (1965). The recording and analysis of seismic body waves using linear cross arrays. *The Radio and Electronic Engineer*, **29**, 33-46.
- Whiteway, F. E. (1966). The use of arrays for earthquake seismology. *Proc. R. Soc. A*, **290**, 328-342.
- Widmer, R., Zürn, W., and Masters, G. (1992). Observation of low-order toroidal modes from the 1989 Macquarie Rise event. *Geophys. J. Int.*, **111**, 226 - 236.
- Wiechert, E. (1904). *Verhandlungen der zweiten internationalen Seismologischen Konferenz. Beitr. Geophys., Ergänzungsband II*, 41-43.
- Wiechert, E. (1907). Über Erdbebenwellen. Theoretisches über die Ausbreitung der Erdbebenwellen. *Nachrichten von der Königlichen Gesellschaft der Wissenschaften zu Göttingen, Mathematisch-physikalische Klasse*, 413-529.
- Wielandt, E. (1975). Ein astasiertes Vertikalpendel mit tragender Blattfeder. *J. Geophys.*, **41**, 5, 545-547.
- Wielandt, E. (1990). Very- broad-band seismometry. In: Boschi, E., Giardini, D., Morelli, A. (Eds.), *Proceed. 1st Workshop on MEDNET, Sept. 10-14, 1990, CCSEM, Erice, Il Cigno Galileo Galilei, Roma*, 222-234.
- Wielandt, E. (1993). Propagation and structural interpretation of non-plane waves. *Geophys. J. Int.*, **113**, 45 - 53.
- Wielandt, E. (2002). Seismometry. In: Lee et al. (2002), Part A, 283-304.
- Wielandt, E., and Streckeisen, G. (1972). The leaf-spring seismometer and performance. *Bull. Seism. Soc. Am.*, **71**, 2349-2367.
- Wielandt, E., and Streckeisen, G. (1982). The leaf-spring seismometer: Design and performance. *Bull. Seism. Soc. Am.*, **72**, 2349-2367.
- Wielandt, E., and Steim, J. M. (1986). A digital very-broad-band seismograph. *Annales Geophysicae*, **4**, 227-232.
- Wielandt, E., and Zürn, W. (1991). Messungen der kurzperiodischen Bodenunruhe in Schiltach (BFO). In: Henger (1995).
- Wielandt, E., and Forbriger, T. (1999). Near-field seismic displacement and tilt associated with the explosive activity at Stromboli. *Annali Geofisica*, **42**, 407 - 416.
- Willmore, P. L. (1959). The application of the Maxwell impedance bridge to the calibration of electromagnetic seismographs, *Bull. Seism. Soc. Am.*, **49**, 99-114.
- Willmore, P. L. (Ed.) (1979). *Manual of Seismological Observatory Practice. World Data Center A for Solid Earth Geophysics, Report SE-20, September 1979, Boulder, Colorado*, 165 pp.
- Withers, M. M., Aster, R. C., Young, Ch. J., and Chael, E. P. (1996). High-frequency analysis of seismic background noise as a function of wind speed and shallow depth. *Bull. Seism. Soc. Am.*, **86**, 5, 1507-1515.
- Wolberg, J. R. (1967). *Prediction Analysis*. D. Van Nostrand Co. Inc., Princeton, N. J.
- Wood, H. O., and Neumann, F. (1931). Modified Mercalli intensity scale of 1931, *Bull. Seism. Soc. Am.*, **21**, 277-283.
- Wyatt, F. (1988). Measurements of coseismic deformation in Southern California. *J. Geophys. Res.*, **93**, 7923 - 7942.
- Wyatt, F., Beckstrom, K., and Berger, J. (1982). The optical anchor - a geophysical strainmeter. *Bull. Seism. Soc. Am.*, **72**, 1707 - 1716
- Wyatt, F., Agnew, D. C., and Gladwin, M. (1994). Continuous measurements of crustal deformation for the 1992 Landers Earthquake Sequence. *Bull. Seism. Soc. Am.*, **84**, 768 - 779.
- Yacoub, N. K. (1998). Maximum spectral energy for seismic magnitude estimation. Part I: Rayleigh-wave magnitude. *Bull. Seism. Soc. Am.*, **88**, 4, 952-962.
- Yamashita, T. (1976). On the dynamic process of the fault motion in the presence of friction and inhomogeneous initial stress. Part 1., Rupture propagation. *J. Phys. Earth*, **24**, 417-444.

References

- Yomogida, K., and Nakata, T. (1994). Large slip velocity of the surface rupture associated with the 1990 Luzon earthquake. *Geophys. Res. Lett.*, **21**, 1799-1802.
- Young, Ch. J., Chael, E. P., Withers, M. W., and Aster, R. C. (1996). A comparison of the high- frequency (>1Hz) surface and subsurface noise environment at three sites in the United States. *Bull. Seism. Soc. Am.*, **86**, 5, 1516-1528.
- Zadro, M., and Braitenberg, C. (1999). Measurements and interpretations of tilt-strain gauges in seismically active areas. *Earth Science Reviews*, **47**, 151 - 187.
- Zimmer, M., and Erzinger, J. (2001). Continuous gas monitoring by chromatograph and Alpha Scintillation counter on Merapi Volcano, Indonesia. submitted to *Bulletin of Volcanology*.
- Zoback, M. L. (1992). First- and second-order patterns of stress in the lithosphere: The World Stress Map Project. *J. Geophys. Res.*, **97**, 11703-11728.
- Zoeppritz, K. (1907). Über Erdbebenwellen. II. Laufzeitkurven. *Nachrichten von der Königlichen Gesellschaft der Wissenschaften zu Göttingen, Mathematisch-physikalische Klasse*, 529-549.
- Zonno, G., and Kind, R. (1984). Depth determinations of north Italian earthquakes using Graefenberg data. *Bull. Seism. Soc. Am.* **74**, 1645-1659.
- Zsiros, T. (1989). Macroseismic practice in Hungary, *Proc. 1st AB Workshop on Macroseismic Methods, Seis. Surv. Slov., Ljubljana*, 12 pp.
- Zürn, W., Laske, G., Widmer-Schmidrig, R., and Gilbert, F. (2000). Observation of Coriolis coupled modes below 1 mHz. *Geophys. J. Int.*, **143**, 113 - 118.